



Semester One Examination, 2021

Question/Answer booklet

# MATHEMATICS APPLICATIONS UNIT 3

**SOLUTIONS**

## Section Two: Calculator-assumed

WA student number: In figures

--	--	--	--	--	--	--	--	--

In words

---

---

Your name

---

### Time allowed for this section

Reading time before commencing work: ten minutes

Working time: one hundred minutes

Number of additional  
answer booklets used  
(if applicable):

--

### Materials required/recommended for this section

#### *To be provided by the supervisor*

This Question/Answer booklet

Formula sheet (retained from Section One)

#### *To be provided by the candidate*

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper, and up to three calculators, which can include scientific, graphic and Computer Algebra System (CAS) calculators, are permitted in this ATAR course examination

### Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

**Structure of this paper**

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	51	35
Section Two: Calculator-assumed	13	13	100	98	65
<b>Total</b>					100

**Instructions to candidates**

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
3. You must be careful to confine your answers to the specific question asked and to follow any instructions that are specific to a particular question.
4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
5. It is recommended that you do not use pencil, except in diagrams.
6. Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

Section Two: Calculator-assumed

65% (98 Marks)

This section has **thirteen** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 100 minutes.

**Question 9**

**(7 marks)**

A grain silo stood empty at the start of a harvest. Over the next month, the weight of barley in the silo,  $W_n$  tonnes at the end of the  $n^{\text{th}}$  day, was modelled by  $W_{n+1} = 0.8W_n + 36$ ,  $W_0 = 0$ .

- (a) Determine, to the nearest tonne, the change in the weight of barley in the silo from the end of day 2 to the end of day 6. (3 marks)

Solution
$W_2 = 64.8, \quad W_6 = 132.8$
$W_6 - W_2 = 68 \text{ t}$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ calculates first weight</li> <li>✓ calculates second weight</li> <li>✓ calculates difference, to nearest tonne</li> </ul>

- (b) At the end of which day did the weight of barley in the silo first exceed 175 tonnes? (1 mark)

Solution
Day 17.
Specific behaviours
✓ correct day


- (c) Eventually, the weight of barley will reach a steady state. At the end of which day did the weight of barley in the silo first come within a quarter of a tonne of the steady state? Justify your answer. (3 marks)

Solution
Steady state is 180 tonnes.
Need $W_n = 180 - 0.25 = 179.75$
Hence $n = 30$ - the end of day 30.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ indicates steady state</li> <li>✓ indicates required weight</li> <li>✓ correct day</li> </ul>

Question 10

(7 marks)

The vertices A to G in the graph below represent major bus stations in a city and the edge weights represent the travel time between pairs of stations in minutes.



(a) Determine the minimum travel time and corresponding route between the following pairs of stations:

(i) D and E.

(2 marks)

Solution	
Route is <i>DCE</i> with a least time of 35 minutes.	
Specific behaviours	
<ul style="list-style-type: none"> <li>✓ correct route</li> <li>✓ correct time</li> </ul>	

(ii) A and G.

(3 marks)

Solution	
Route is <i>ABFG</i> with a least time of 79 minutes.	
Specific behaviours	
<ul style="list-style-type: none"> <li>✓ route starts with A and ends with G</li> <li>✓ correct route</li> <li>✓ correct time</li> </ul>	

(b) It is possible to reduce the travel time between stations E and F. Determine the reduction required so that the current minimum travel time between stations B and G is equal to the minimum travel time between these stations, via station E, after the reduction.

(2 marks)

Solution	
Route <i>BFG</i> currently minimum - 64 mins. Using <i>BEFG</i> : $11 + 20 + 38 = 69$ . Hence reduction must be 5 minutes.	
Specific behaviours	
<ul style="list-style-type: none"> <li>✓ identifies minimum time without <i>E</i></li> <li>✓ correct reduction</li> </ul>	

**Question 11**

**(8 marks)**

Participants at an educational conference were categorised by district they worked in and main area of interest. The table below shows the number of participants in these categories.

		Main area of interest		
		Primary	Secondary	Tertiary
District	Metropolitan	59	67	37
	Regional	32	36	19

(a) Determine what percentage of participants

(i) had primary as their main area of interest.

(2 marks)

Solution
$91 \div 250 = 36.4\%$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ total number of participants</li> <li>✓ correct percentage</li> </ul>

(ii) worked in the metropolitan district.

(1 mark)

Solution
$163 \div 250 = 65.2\%$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ correct percentage</li> </ul>

(b) Use the above table to complete the following table of row percentages, rounding entries to the nearest whole number.

(3 marks)

(%)	Primary	Secondary	Tertiary
Metropolitan	<b>36</b>	<b>41</b>	<b>23</b>
Regional	<b>37</b>	<b>41</b>	<b>22</b>

Solution
See table
Specific behaviours
<ul style="list-style-type: none"> <li>✓ at least two correct entries</li> <li>✓ both rows add to 100</li> <li>✓ all correct entries</li> </ul>

(c) Explain whether the percentaged table above suggest the presence of an association between district worked in and main area of interest for the participants.

(2 marks)

Solution
No association evident between the variables as the pairs of percentages in each column (i.e., for each area of interest) are very similar.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ states no association</li> <li>✓ explanation using similar percentages</li> </ul>

Question 12

(8 marks)

The following table shows the compressive strength, in megapascals, achieved by concrete after one week for different water-cement ratios, as a percentage, used in its mixture.

Water-cement ratio $R$ , %	40	44	47	51	53	56	60
Strength $S$ , MPa	26.4	24.8	21.0	20.1	19.0	19.3	15.1

- (a) Determine the equation of the least-squares line for the data, with ratio  $R$  as the explanatory variable.

(2 marks)

Solution
$S = -0.525R + 47.14$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ correct gradient or intercept (at least 2 dp)</li> <li>✓ correct gradient, intercept (at least 2 dp) and variables</li> </ul>

- (b) In the context of the question, interpret the slope of the least-squares line in part (a).

(2 marks)

Solution
For each 1% increase in the water-cement ratio, the strength of the concrete decreases by 0.525 MPa.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ relates increase in ratio to decrease in strength</li> <li>✓ quantifies interpretation</li> </ul>

- (c) State the coefficient of determination and use it to assess the strength of the linear association.

(2 marks)

Solution
$r^2 = 0.934$ . Since 93% of the variation in strength can be explained by the variation in water-cement ratio, the linear association can be assessed as strong.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ coefficient as decimal or percentage</li> <li>✓ states association is strong</li> </ul>

- (d) Predict the value of the strength  $S$  when the water-cement ratio is 42% and discuss the validity of this prediction.

(2 marks)

Solution
$S = -0.525(42) + 47.14 = 25.1$ MPa
This prediction is valid since it does not involve extrapolation and the association is strong.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ calculates strength</li> <li>✓ states prediction is valid with at least one reason</li> </ul>

**Question 13**

**(7 marks)**

The balance  $A_n$  of an account after  $n$  years, in dollars, is modelled by the recurrence relation  $A_{n+1} = 1.18A_n$ ,  $A_0 = 150$ .

(a) Determine the balance of the account, to the nearest cent, after

(i) 2 years.

<b>Solution</b>
$A_2 = \$208.86$
<b>Specific behaviours</b>
✓ correct balance

(1 mark)


(ii) 8 years.

<b>Solution</b>
$A_8 = \$563.83$
<b>Specific behaviours</b>
✓ correct balance

(1 mark)

(b) Plot  $A_n$  on the axes below for  $n = 0$  to  $n = 8$ .

**(3 marks)**



(c) Will the account balance continue to increase or reach a steady state as  $n$  increases? Justify your answer.

**(2 marks)**

<b>Solution</b>
It will increase. Geometric sequences where the rate is greater than 1.
<b>Specific behaviours</b>
✓ increase
✓ justifies with rate

Question 14

(7 marks)

An unmanned submarine has to return directly to its host ship, currently at anchor and 120 km away from the submarine. With failing batteries, the submarine can travel 18 km in the first hour, 16.5 km in the second hour and so on, always 1.5 km less than in the previous hour until it no longer moves.

- (a) Determine the total distance travelled by the submarine in the first three hours. (2 marks)

<b>Solution</b>
$D_3 = 15$
Distance = $18 + 16.5 + 15 = 49.5$ km.
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ indicates distance travelled in third hour</li> <li>✓ calculates sum of first three terms</li> </ul>

- (b) Determine a simplified rule for the distance  $D_n$  travelled by the submarine in the  $n^{\text{th}}$  hour. (2 marks)

<b>Solution</b>
$D_n = 18 + (n - 1)(-1.5)$ $= 19.5 - 1.5n$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ substitutes <math>a</math> and <math>d</math> into <math>n^{\text{th}}</math> term rule</li> <li>✓ simplifies and uses <math>D_n</math></li> </ul>

- (c) At the start of which hour will the submarine no longer move? (1 mark)

<b>Solution</b>
Start of the 13 <sup>th</sup> hour.
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ states correct hour</li> </ul>

- (d) State, with reasons, whether the submarine will reach its host ship. (2 marks)

<b>Solution</b>
$18 + 16.5 + 15 + \dots + 1.5 = 117$ km
Submarine will not reach its host ship as the total distance it will travel is 117 km, stopping 3 km away.
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ calculates total distance travelled</li> <li>✓ states no, with reasoning</li> </ul>



Question 15


(7 marks)

A student found a box containing three keys and four padlocks. Some keys will open more than one padlock. A tick in the following table indicates that a key will open that padlock.

		Key		
		1	2	3
Padlock	A	✓	✓	
	B	✓		✓
	C		✓	✓
	D	✓	✓	

(a) Represent this information clearly as a bipartite graph,  $G$ .

(3 marks)

Solution	
	
Specific behaviours	
<ul style="list-style-type: none"> <li>✓ two distinct sets of vertices</li> <li>✓ all vertices labelled</li> <li>✓ correct set of edges</li> </ul>	

(b) The presence of exactly two odd vertices in  $G$  indicates that it is semi-Eulerian. State the definition of a semi-Eulerian graph.

(2 marks)

Solution
A semi-Eulerian graph contains an open trail that includes every edge once only.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ states has an <b>open trail</b></li> <li>✓ states trail <b>includes every edge once only</b></li> </ul>

(c) If another edge was added to  $G$ , from one odd vertex to the other, state, with reasons, whether  $G$  is still:

(i) bipartite.

(1 mark)

Solution
No - cannot have an edge joining two vertices in one set.
Specific behaviours
✓ states no, with reason

(ii) semi-Eulerian.

(1 mark)


Solution
No - graph will become Eulerian.
Specific behaviours
✓ states no, with reason

Question 16

(9 marks)

The table and graph below shows the average fuel consumption, in litres per 100 km, achieved by the drivers of different cars before and after they took part in an advanced driving course.

Before $x$	7.5	6.7	9.3	11.3	8.8	12.7	11.9	9.1	10.5	9.7
After $y$	7.3	6.5	9.6	11.2	7.9	12.3	11.5	8.5	10.2	9.2



(a) Use the above information to determine

(i) the correlation coefficient  $r_{xy}$ .

(1 mark)

<b>Solution</b>
$r = 0.986$
<b>Specific behaviours</b>
✓ correct value to at least 2 dp

(ii) the equation of the least-squares line of  $y$  on  $x$ .

(2 marks)

<b>Solution</b>
$y = 0.993x - 0.262$
<b>Specific behaviours</b>
✓ correct slope to at least 2 dp
✓ correct intercept to at least 2 dp

(b) Draw the least-squares line on the graph above.

(2 marks)

<b>Solution</b>
See graph
<b>Specific behaviours</b>
✓ draws a ruled straight line
✓ passes close to (6.7, 6.4) and (12.7, 12.4)

(c) The fuel consumption achieved by the driver of another car was 13.5 litres per 100 km before they took part in the course.

(i) Predict the fuel consumption this driver will achieve after the course. (1 mark)

<b>Solution</b>
$\hat{y}(13.5) = 13.1 \text{ L/km}$
<b>Specific behaviours</b>
✓ correct value

(ii) Explain why the correlation coefficient supports confidence in the above prediction. (1 mark)

<b>Solution</b>
Its closeness to 1 indicates a strong linear relationship.
<b>Specific behaviours</b>
✓ explanation describing strong linear relationship

(iii) Explain why this prediction involves extrapolation and how this affects confidence in the above prediction. (2 marks)

<b>Solution</b>
The 'before' fuel consumption figure of 13.5 lies outside the range of the original data - hence extrapolation.
Extrapolation is a dangerous process and lowers the confidence associated with the prediction.
<b>Specific behaviours</b>
✓ explains extrapolation
✓ indicates extrapolation lowers confidence

**Question 17**

**(7 marks)**

Graph  $G$  has 5 vertices with degrees 2, 2, 3, 3 and 4.


(a) Determine the number of edges that  $G$  has.

(2 marks)

Solution
$e = \frac{2 + 2 + 3 + 3 + 4}{2} = 7$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ equates sum of degrees and edges</li> <li>✓ correct number</li> </ul>


(b) Draw  $G$  in the plane as a simple connected graph and state the number of faces it has.

(3 marks)

Solution
 <p style="text-align: center;"><math>G</math> has 4 faces.</p> <p style="text-align: center;"><i>Example shown - mark by checking vertex degrees, no loops, no me's.</i></p>
Specific behaviours
<ul style="list-style-type: none"> <li>✓ vertices with correct degrees</li> <li>✓ connected but no loops or multiple edges</li> <li>✓ no edges crossing and states number of faces</li> </ul>

(c) Draw  $G$  in the plane as a connected graph with one bridge.

(2 marks)

Solution
 <p style="text-align: center;"><i>(example)</i></p>
Specific behaviours
<ul style="list-style-type: none"> <li>✓ vertices with correct degrees, no edges crossing</li> <li>✓ connected and exactly one bridge</li> </ul>

Question 18

(8 marks)

(a) The value of a painting, initially worth \$2500, increases by a 7% of its value each year.

(i) Deduce the  $n^{\text{th}}$  term rule for the value  $V_n$  of the painting after  $n$  years. (2 marks)

Solution
$V_n = 2500(1.07)^n$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ rule in exponential form</li> <li>✓ correct rule using <math>V_n</math></li> </ul>

(ii) Determine the number of years until the painting is first worth more than \$6 000.

(1 mark)

Solution
$V_{12} = 5630.48, \quad V_{13} = 6024.61$ After 13 years.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ correct number of years</li> </ul>

(b) The value of a machine decreases by a fixed percentage of its value each year, so that after 3 years it has a value of \$2947.80 and after 4 years it has a value of \$2505.63.

(i) Determine the fixed percentage.

(3 marks)

Solution
$2947.80 \times r = 2505.63$
$r = 2505.63 \div 2947.80$
$r = 0.85$
Hence decrease is $100\% - 85\% = 15\%$ per year.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ writes equation for unknown</li> <li>✓ solves for rate</li> <li>✓ states percentage decrease</li> </ul>

(ii) Determine the initial value of the machine.

(2 marks)

Solution
$a(0.85)^3 = 2947.80$
$a = 4800$
Initial value is \$4 800.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ writes equation for value</li> <li>✓ states initial value</li> </ul>

**Question 19**

**(8 marks)**

A vegetable farmer uses water from a storage tank to water his crops. The tank initially contains 50 000 litres. Each day, 10% of the water in the tank is used to water the crops and each evening an extra 3000 litres is pumped into the tank from a nearby river. This pattern continues each day.

The number of litres of water in the tank of the  $n^{\text{th}}$  morning is modelled by the equation:

$$L_{n+1} = r.L_n + d \text{ where } L_1 = k.$$

- (a) State the values of  $r$ ,  $d$  and  $k$ . (3 marks)

Solution
$r = 0.9$ $d = 3000$ $k = 50000$
Specific behaviours
✓ r correct ✓ d correct ✓ k correct

- (b) Determine how many litres of water will be in the tank on the fifth morning. (1 marks)

Solution
$L_5 = 43122 \text{ L}$
Specific behaviours
✓ correct amount

- (c) On what morning will the volume of the tank fall below 40 000 litres? (2 marks)

Solution
$L_7 = 40629$ $L_8 = 39566$ 8 <sup>th</sup> morning
Specific behaviours
✓ calculates 8 <sup>th</sup> term ✓ correct morning


- (d) If the model continues, what will happen to the volume of the tank in the long term? Justify your answer. (2 marks)

Solution
It will reach a steady state at 30000 L
Specific behaviours
✓ indicates steady state ✓ calculates 30 000 L

Question 20

(8 marks)

The linear model fitted to a data set had equation  $\hat{y} = 18.86x - 120.9$ . The correlation coefficient between the variables was  $r_{xy} = 0.977$ . The residual plot for the linear model is shown below.



- (a) The residual for the data point (45, 745) is not shown. Determine the residual for this point and add it to the residual plot. (3 marks)

Solution
$\hat{y} = 18.86(45) - 120.9 = 727.8$ Residual: $745 - 727.8 = 17.2$ .
Specific behaviours
✓ calculates $\hat{y}$ ✓ calculates residual ✓ plots residual

- (b) Use the residual plot to assess the appropriateness of fitting a linear model to the data. (2 marks)

Solution
Linear model is not appropriate as a pattern is clearly evident in the residuals.
Specific behaviours
✓ states that linear model is not appropriate ✓ states a pattern evident in the residuals


- (c) The point shown on the plot above with a residual of  $-76.7$  was derived from the data point  $x = a, y = b$ . Determine the value of  $a$  and the value of  $b$ . (3 marks)

Solution
$a$ is the $x$ -coordinate: $a = 17$ $b$ is the $y$ -coordinate: $\hat{y} = 18.86(17) - 120.9 = 199.72$ $b - 199.72 = -76.7 \Rightarrow b = 123$
Specific behaviours
✓ value of $a$ ✓ calculates $\hat{y}$ ✓ value of $b$

Question 21

(8 marks)

The vertices in graph  $G_1$  below represent towns, the edges represent roads, and each edge weight represents the length of the road between adjacent towns in kilometres.



- (a) List, starting with A and in the order visited, the vertices that lie on the Hamiltonian cycle with the minimum total road length and state this minimum length. (3 marks)

Solution
Hamilton cycle is ABDEFCGA.
Length: $20 + 18 + 24 + 22 + 14 + 17 + 19 = 134$ km.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ lists vertices in a Hamilton cycle, A ... A</li> <li>✓ identifies shortest Hamilton cycle</li> <li>✓ calculates length</li> </ul>


An engineer must drive an inspection vehicle along the entire length of all 11 roads in  $G_1$ .

- (b) State, with justification, where the inspection should start and where it should finish to minimise the distance that the engineer must drive. (2 marks)

Solution
Choose towns B and G. These towns are the endpoints of a semi-Eulerian trail and so all edges will be visited exactly once, resulting in the minimum total distance.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ chooses correct towns</li> <li>✓ justifies choice</li> </ul>



- (c) For practical reasons, the engineer has to start at town A and must return there at the end of the inspection. Determine, with reasoning, the minimum distance the engineer must drive. A copy of  $G_1$  is provided below. (3 marks)



<b>Solution</b>
Sum of all edge lengths is 199 km. The walk ABDEFDCFGCBCGA repeats edges BC and CG to minimise distance and has length $199 + 12 + 17 = 228$ km.
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ indicates sum of all edge lengths</li> <li>✓ indicates a sufficient walk with associated distance</li> <li>✓ correct minimum distance</li> </ul>

Supplementary page

Question number: \_\_\_\_\_

Supplementary page

Question number: \_\_\_\_\_

© 2021 WA Exam Papers. Trinity College has a non-exclusive licence to copy and communicate this document for non-commercial, educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers. SN108-176-4.