

Rossmoyne Senior High School

Semester Two Examination, 2017

Question/Answer booklet

MATHEMATICS APPLICATIONS UNITS 3 AND 4 Section Two: Calculator-assumed

OLUTIONS

Student Number: In f

In	figures	
	nguies	

In words

Your name

Time allowed for this section

Reading time before commencing work: Working time:

ten minutes one hundred minutes

Materials required/recommended for this section

To be provided by the supervisor This Question/Answer booklet

Formula sheet (retained from Section One)

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper, and up to three calculators approved for use in this examination

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	7	7	50	52	35
Section Two: Calculator-assumed	12	12	100	98	65
				Total	100

Instructions to candidates

- 1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer booklet.
- 3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Additional working space pages at the end of this Question/Answer booklet are for planning or continuing an answer. If you use these pages, indicate at the original answer, the page number it is planned/continued on and write the question number being planned/continued on the additional working space page.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you do not use pencil, except in diagrams.
- 7. The Formula sheet is not to be handed in with your Question/Answer booklet.


Section Two: Calculator-assumed

This section has twelve (12) questions. Answer all questions. Write your answers in the spaces provided.

Working time: 100 minutes.

Question 8

The scatterplot below shows the daily sales of take-away coffees on the x-axis and canned drinks on the y-axis for a market stall.



Describe the association between the variables in terms of strength and direction. (a)

Solution
Association is moderate and negative.
Specific behaviours
✓ indicates strength is moderate
✓ indicates direction is negative

The equation of the least-squares line that fits the data is y = 108 - 1.2x. Interpret the (b) slope of this line. (2 marks) Solution

(2 marks)

For every extra coffee sold during a day, the number of canned drinks sold decreases by 1.2.

Specific behaviours

- \checkmark as x increases, y decreases
- ✓ uses variable names and uses 1.2
- (c) Identify a possible non-causal explanation for the association between the variables.

(1 mark)

Solution
Coincidence; Confounding due to variable such as temperature, etc.

Specific behaviours

✓ any plausible reason


(5 marks)


65% (98 Marks)

(8 marks)

A student was asked to estimate the length of lines generated at random on a computer screen. The actual and estimated lengths, in cm, are shown in the graph and table below.

4





(b) A least-squares line can be used to model the relationship between x and y.

(i) Determine the equation of this line Solution (2 marks)
y = 0.876x + 1.84
Specific behaviours
✓ states equation
✓ both coefficients to at least 2 sf
(ii) Draw this line on the graph. (2 marks)

Specific behaviours

✓ value to at least 2 dp

(c) Predict the student's estimate, to the nearest cm, when the actual length of the line was 8 cm and comment on factors affecting the reliability of this prediction. (3 marks)

Solution
$\hat{y}(8) = 8.84 \sim 9 \text{ cm}$
Prediction is unreliable as despite strong correlation the prediction involves extrapolation beyond the given data.
Specific behaviours
✓ correct value
✓ uses correlation coefficient
✓ uses extrapolation

(9 marks)

A researcher sought to determine whether a person's support for a particular political party affected their approval of a proposal to expand the Snowy Hydro scheme.

	Vote Labour	Vote Lib/Nat	Vote other	Total
Approve	156	187	73	416
Disapprove	38	21	22	81
Don't know	80	52	45	177
Total	274	260	140	674

(a) Complete the three missing entries in the table above.

(2 marks)

(2 marks)

(b) State which is the response variable and which is the explanatory variable. (2 marks)

Solution	
Response: Approval of SH scheme	
Explanatory: Political party	
Specific behaviours	
Specific behaviours ✓ response variable	

Solution (a)
See table
Specific behaviours
✓ completes third row
✓ completes third column
· · · ·

(c) Explain why creating a table of column percentages, rather than row percentages, is appropriate in this instance. (1 mark)

Solution
Columns contain explanatory variable
Spacific boboviouro
Specific behaviours
✓ uses explanatory variable

(d) Complete the table of column percentages below.

% Vote Labour Vote Lib/Nat Vote other 72 Approve 57 52 8 Disapprove 14 16 Solution See table Don't know 29 20 32 Specific behaviours Total 100 ✓ completes Labour column 100 100 ✓ calculates Lib/Nat Approval % ✓ completes Lib/Nat column

(e) Comment, with reasons, on whether any evidence exists to suggest that a person's support for a particular political party affected their approval of the proposal to expand the Snowy Hydro scheme. (2 marks)

Solution
Yes - evidence of an association exists.
There is considerable difference in the column percentages for each response category.
Specific behaviours
✓ states yes
✓ supports answer by noting differences in column percentages

SN085-106-4

See next page

(10 marks)


The number of page views, in thousands, of an international website were recorded in the morning (4 am to noon), afternoon (noon to 8 pm) and night (8 pm to 4 am) over several consecutive days.

6

Day	Period	Time, t	Page views, N, (000's)
Mon	Morning	1	4.1
	Afternoon	2	3.1
	Night	3	1.9
Tue	Morning	4	4.6
	Afternoon	5	3.5
	Night	6	3.3
Wed	Morning	7	5.0
	Afternoon	8	3.9
	Night	9	2.3
Thu	Morning	10	4.9
	Afternoon	11	4.3
	Night	12	2.6
Fri	Morning	13	5.5
	Afternoon	14	4.6
	Night	15	3.5

(a) Use the above data to complete the time series plot on the axes below. (2 ma





(b) One of the data points was suspected of being an outlier. Circle this point on the graph and explain why you chose it. (2 marks)

Solution
See graph: $t = 6$
Point does not fit with trend of other night points.
Specific behaviours
✓ circles point
✓ explanation using night points

(c) Describe the trend and seasonality of the time series plot.

(2 marks)

Solution
The overall trend of the time series is increasing.
Within each day, the page views tend to be highest in the morning, decrease during the afternoon and reaching their lowest at night.
Specific behaviours

✓ describes direction using trend


✓ describes seasonality within daily cycle

- (d) Calculate the number of page views representing
 - (i) the three-point moving average for Monday night.

Solution
$\frac{3.1 + 1.9 + 4.6}{3} = 3.2 \text{ thousand}$
Specific behaviours
✓ calculates average
✓ states units

(ii) the six-point centred moving average for Thursday afternoon.

(2 marks)



(2 marks)

Every afternoon, 15 litres of water is taken from a tank and poured into a small garden pond. At the start of the first day the tank contains 210 L and the pond contains 20 L.

The amount of water in the tank at the start of day *n* is given by $T_{n+1} = T_n - 15$, $T_1 = 210$.

(a) Complete the table below.


[п	1	2	3	4	5	6	7	8
	<i>T_n</i> (L)	210	195	180	165	150	135	120	105

(b) Deduce a rule for the amount of water in the tank at the start of the n^{th} day. (2 marks)

Solution (b)
$T_n = 210 + (n-1)(-15) = 225 - 15n$
Specific behaviours
\checkmark uses n^{th} term rule
✓ correct rule

	Solution (a)
S	ee table
	Specific behaviours
✓	all correct

(c) Graph the amount of water in the tank at the start of day *n* on the axes below. (2 marks)



(1 mark)

SN085-106-4

(12 marks)

CALCULATOR-ASSUMED

APPLICATIONS UNITS 3 AND 4

Due to the combined effects of evaporation and water being added from the tank, the amount of water in the pond, in litres, at the start of day *n* is given by $P_{n+1} = 0.95P_n + 15$, $P_1 = 20$, $n \le 15$.

(d) Complete the table below, writing all amounts to the nearest litre. (2 marks)

n	1	2	3	4	5	6	7	8
P_n (L)	20	34	47	60	72	83	94	104

- SolutionSee tableSpecific behaviours \checkmark correct values for n = 1, 2 \checkmark all correct
- (e) Add the amount of water in the pond at the start of day n to the graph in (c). (2 marks)
- (f) At the start of which day did the amount of water in the pond first exceed the amount of water in the tank? (1 mark)

Solution
At the start of day 9.
Specific behaviours
✓ correct day

(g) Determine the maximum amount of water in the pond and when this occurs.

(2 marks)

Solution
Tank will be empty at start of day 15, at
which time pond contains 163.5 L.
Specific behaviours
✓ correct amount
✓ correct day

SN085-106-4

Question 13

(9 marks)

The tasks involved in a construction project are shown in the table below.

Task	А	В	С	D	E	F	G	Н	J
Duration (days)	5	8	9	7	8	10	2	11	6
Immediate predecessors	-	А	A	В	В	С	D, E, F	С	G, H

(a) Complete the project network below.

(3 marks) Solution

(2 marks)

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Specific behaviours					
✓ D, E, F, H added					
✓ all edges, labelled					
✓ all correct with direction					

See diagram

(b) List the tasks on the critical path and state the minimum completion time for the project.

Solution				
Critical path is A - C - F - G - J				
MCT is 32 days				
Specific behaviours				
✓ critical path				
✓ MCT				

(c) If the project is completed in the minimum possible time, determine

✓ task
✓ float time

(i)	the earliest start time for task	F	(1 mark)
()		Solution	(T many)
		Day 13.	
		Specific behaviours	
		✓ correct day	
(ii)	the latest start time for task B.		(1 mark)
()		Solution	(1.1.6.1.1)
		24 - 8 - 8 = 8. Day 8.	
		Specific behaviours	
		✓ correct day	
(iii)	the task with the largest float t	ime, and what this float time is.	(2 marks)
		Solution	
	Task D - float	time of 4 days.	
		-	
	Specif	ic behaviours	

(8 marks)

A small business took out an equipment loan of \$12 000 and made monthly repayments of \$750. The table below shows the progress of the loan for the first few months, with repayments and interest applied at the end of each month.

Month	Balance at start of month	Interest	Repayment	Balance carried forward to start of
<i>(n)</i>	(T_n)			next month
1	12 000.00	144.00	750.00	11 394.00
2	11 394.00	136.73	750.00	10 780.73
3	10 780.73	129.37	750.00	10 160.10
4	10 160.10	A	750.00	В

(a) Determine the monthly interest rate.

Solution
$144 \div 12000 = 0.012$, or 1.2%
Specific behaviours
✓ calculates rate

(b) The recurrence relation to model the loan balance, T_n , in the second column of the table is $T_{n+1} = aT_n - b$, $T_1 = 12\ 000$. State the values of *a* and *b*. (2 marks)

Solution				
a = 1.012, b = 750				
Specific behaviours				
\checkmark states a				
\checkmark states b				

(c) Determine the values of *A* and *B* in the table.

 $B = 10\ 160.10 + 121.92 - 750 = \$9\ 532.02$

Solution $A = 10\ 160.10 \times 0.012 = 121.92

Specific behaviours

 \checkmark calculates A

 \checkmark calculates B

(d) Calculate the balance of the loan at the start of month 12.

10	
(2	marks)

Solution					
$T_{12} = 4919.29$ - balance is \$4919.29					
Specific behaviours					
✓ uses correct term of sequence					
✓ calculates balance					

(e) If the business opted to decreased the amount of each repayment, comment on how this would change the total interest accumulated over the life of the loan. (1 mark)

Solution	
The total amount of interest would increase.	
Specific behaviours	
✓ indicates increase	

See next page

(1 mark)


(2 marks)

CALCULATOR-ASSUMED

Question 15

(9 marks)

The average level of a pollutant, in parts per million, recorded at a city location each quarter over the past three years is shown in the graph and table below.



Year	Quarter	Time period	Average level	Yearly	Percent of
Tear	Quarter	(<i>t</i>)	of pollutant (P)	mean	yearly mean
	1	1	A		92.8
2014	2	2	41	48.5	84.5
2014	3	3	53	48.5	109.3
	4	4	55		113.4
	1	5	50		В
2015	2	6	46	52.0	88.5
2015	3	7	54	52.0	103.8
	4	8	58		111.5
	1	9	52		95.4
2016	2	10	48	С	88.1
2010	3	11	57	L	104.6
	4	12	61		111.9

(a) Calculate the values of the entries *A*, *B* and *C* in the table.

(3 marks)

Solution				
$\frac{A+41+53+55}{4} = 48.5 \Rightarrow A = 45$				
$B = 50 \div 52.0 \times 100 = 96.2 \text{ (or } 400 - 88.5 - 103.8 - 111.5)$				
$C = (52 + 48 + 57 + 61) \div 4 = 54.5$				
Specific behaviours				
✓ calculates A				
✓ calculates B				
✓ calculates C				

CALCULATOR-ASSUMED

13

(b) Three of the four seasonal indices, calculated using the average percentage method, are shown in the table below. Calculate the missing index for quarter 2 and interpret its value.(2 marks)

Quarter	1	2	3	4
Seasonal index	0.95	0.87	1.06	1.12

	Solution
Index	x for Q2: $4 - 0.95 - 1.06 - 1.12 = 0.87$
	index means that in quarter 2, the average level of pollutant is well below the yearly average.
Specific behaviours	
✓ index calculation	
✓ ex	planation of below average

(c) Calculate the deseasonalised average level of the pollutant for the first quarter of 2016.

(1 mark)

Solution
Deseasonalised level: $\frac{52}{0.95} = 54.7$
Specific behaviours
✓ divides by seasonal index

(d) The equation of the least-squares line to forecast the deseasonalised average level of the pollutant, p, is p = 0.684t + 47.2.

Forecast, to the nearest whole number, the **actual** average level of the pollutant in the fourth quarter of 2017 if the above seasonality and trends continue. (3 marks)

Solution
Trend: $p = 0.684(16) + 47.2 = 58.14$
Seasonal adjustment: $58.14 \times 1.12 = 65.1$
,
Expect the level to be 65 ppm.
Specific behaviours
✓ calculates correct trend value
✓ makes seasonal adjustment
✓ rounds to nearest whole number

(7 marks)

(6 marks)

(a)

Solution		
Maxim	Maximum Flow = 10 000 tonnes	
Specific behaviours		
$\checkmark\checkmark$	correctly identifies max flow of routes	
$\checkmark \checkmark \checkmark$	correctly records remaining capacities	
\checkmark	gives max flow as tonnes	

14

(b)

(1 mark)


Solution
Cut = S
Specific behaviours
✓ identifies correct cut

(9 marks)

The percentage scores of 24 students in a computing test, x, and a math test, y, were recorded and the following statistics calculated:

- the least-squares line to model the relationship is $\hat{y} = 1.099x 4.36$
- $r_{xy} = 0.872$

The residual plot for the linear model is shown below.



(a) Another student scored 84% in the computing test and 95% in the math test. Calculate the residual for this student and plot it on the graph above. (3 marks)

Solution	
$\hat{y} = 1.099(84) - 4.36 = 88.0$	
95 - 88 = 7	
See point on graph	
Specific behaviours	
\checkmark calculates \hat{y}	
✓ calculates residual	
✓ plots point	

(b) Use the residual plot to explain whether fitting a linear model to the data is appropriate.

. (2 marks)

Solution
Linear model is appropriate as no pattern is evident in the residuals.
Specific behaviours
✓ states yes
✓ states reason

(c) What percentage of the variation in the math scores can be explained by the variation in the computing scores? Solution (2 marks)

	Solution			
	$0.872^2 \approx 0.76$ so 76%			
	Specific behaviours			
	\checkmark calculates r^2			
	✓ correct percentage			
4				

(d) Are the variables x and y causally related? Explain your answer.

(2 marks)

Solution No. Although it would be reasonable to expect the observed association, strong association is not by itself sufficient evidence for causation.

Specific behaviours

✓ states no
✓ states reason.

Question 18

(6 marks)

A competition winner set up a fund on January 1, 2016, with their prize of \$500 000. The balance of the fund grew at an annual rate of 3.3%, compounded monthly. Starting on February 1, 2016, the winner withdrew \$950 from the fund on the first day of each month.

Determine the balance in the fund just after the withdrawal was made on January 1, 2017. (a)

(2 marks)

		Solution
N	12	
1%	3.3	
PV	-500000	
PMT	950	
FV	505177.849	
P/Y	12	
C/Y	12	Balance was \$505 177.85
	S	pecific behaviours
✓ indicates 12 withdrawals		
✓ correct balance		

Determine the total amount of interest accrued by the fund during 2016. (2 marks) (b)

Solution		
PM1	1	
PM2	12	
1%	3.3	
PV	-500000	
PMT	950	
P/Y	12	
C/Y	12	
BAL		
INT		
PRN		
Σ INT	16577.84899	
ΣPRN	-5177.848988	Total interest was \$16 577.85
	C.	naaifia hahayiaura
		pecific behaviours
✓ uses change in principal and withdrawals		
✓ corr	ect total interes	t

(c) From January 1, 2017, the annual interest rate applying to the fund decreased and the winner found that the balance of the fund remained the same from month to month. Determine by how much the annual interest rate fell. (2 marks)

		Solution
N	12	
1%	2.256631006	7
PV	-505177.85]
PMT	950	
FV	505177.85	
P/Y	12]
C/Y	12	3.3 - 2.257 = 1.043% decrease.
	Spec	ific behaviours
✓ calculates new rate		
✓ determines change in rate		

(6 marks)

(a) \$15 000 is invested in a savings account that earns compound interest of 6.8% per annum. Determine

17

(i) the total interest added to the investment over six years, if interest is compounded annually. (2 marks)

Solution
$FV = 22\ 259.67$
$I = 22\ 259.67 - 15000 = \$7\ 259.67$
Specific behaviours
✓ calculates future value
✓ calculates interest

(ii) the least time, in months, for the investment to accrue a minimum of \$9 000 interest when interest is compounded monthly. (2 marks)

Solution
t = 83.2
t = 84 months
Specific behaviours
✓ states time as decimal
\checkmark states required time, with units

- (b) \$15 000 is invested in a savings account offering 9% per annum compounded quarterly.
 - (i) Calculate the effective interest rate for this account.

(1 mark)

Solution
Effective rate is 9.31% pa
Specific behaviours
✓ states effective rate

(ii) Determine the annual rate that a savings account, compounding interest monthly, would need to offer to achieve the same effective rate as in (i). (1 mark)

Solution
Annual rate of 8.93% pa
Specific behaviours
✓ rate that rounds to 8.93%

Additional working space

Question number: _____

Additional working space

Question number: _____

© 2017 WA Exam Papers. Rossmoyne Senior High School has a non-exclusive licence to copy and communicate this document for non-commercial, educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers. SN085-106-4.