



# Christ Church Grammar School

## Note on marking:

-1 mark at most in Section One for missing units

-1 mark at most in Section One for incorrect rounding

Semester One Examination, 2018

Question/Answer booklet

## MATHEMATICS METHODS UNIT 1

Section One:  
Calculator-free

# SOLUTIONS

Your name \_\_\_\_\_

Teacher's name \_\_\_\_\_

### Time allowed for this section

Reading time before commencing work: five minutes  
Working time: fifty minutes

### Materials required/recommended for this section

#### *To be provided by the supervisor*

This Question/Answer booklet  
Formula sheet

#### *To be provided by the candidate*

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: nil

### Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

## Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	14	14	100	98	65
<b>Total</b>					100

## Instructions to candidates

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet.
3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
4. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you do not use pencil, except in diagrams.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

**Section One: Calculator-free****35% (52 Marks)**

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

**Question 1****(6 marks)**(a) Solve  $7(3t + 1) - 3(2t - 5) = 0$  for  $t$ .**(2 marks)**

<b>Solution</b>
$21t + 7 - 6t + 15 = 0$ $15t + 22 = 0$ $t = -\frac{22}{15}$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ expands and simplifies correctly</li> <li>✓ solves for <math>t</math></li> </ul>

(b) Determine the coordinates of the turning point of the following quadratic curve **by completing the square**.

$$y = 2x^2 - 6x + 8$$

**(4 marks)**

<b>Solution</b>
$y = 2(x^2 - 3x + 4)$ $= 2\left(\left(x - \frac{3}{2}\right)^2 - \frac{9}{4} + 4\right)$ $= 2\left(\left(x - \frac{3}{2}\right)^2 + \frac{7}{4}\right)$ $= 2\left(x - \frac{3}{2}\right)^2 + \frac{7}{2}$
turning point is $\left(\frac{3}{2}, \frac{7}{2}\right)$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ takes out factor of 2</li> <li>✓ correctly completes the square</li> <li>✓ calculates <math>x</math> coordinate of turning point</li> <li>✓ calculates <math>y</math> coordinate of turning point</li> </ul>

**Question 2****(5 marks)**

Solve the following equations.

(a)  $5x^2 = 10x$ .

**(2 marks)**

<b>Solution</b>
$5x(x - 2) = 0$  $x = 0, \quad x = 2$
<b>Specific behaviours</b>
✓ equates to zero and factorises ✓ solutions

(b)  $x(x - 5) = 36$ .

**(3 marks)**

<b>Solution</b>
$x^2 - 5x - 36 = 0$  $(x + 4)(x - 9) = 0$  $x = -4, \quad x = 9$
<b>Specific behaviours</b>
✓ expands and equates to zero ✓ factorises ✓ solutions

**Question 3**

(5 marks)

A function is defined by  $f(x) = \sqrt{2x}$ .


(a) State the domain and range of  $f(x)$ .

(2 marks)

Solution
$D_f: x \geq 0, R_f: y \geq 0$
Specific behaviours
✓ domain, ✓ range

(b) Sketch the graph of  $y = f(x)$  on the axes below.

(3 marks)




Solution
See graph
Specific behaviours
✓ starts at (0,0)
✓ passes through (2, 2) and (8, 4)
✓ smooth curve

## Question 4

(6 marks)

The graph of the line  $L_1$  is shown below.



(a) Determine the equation of  $L_1$ .

(3 marks)

<b>Solution</b>
$m = -\frac{1}{4}$
$y - 3 = -\frac{1}{4}(x - 1)$
$y = -\frac{1}{4}x + \frac{13}{4}$
or $4y + x = 13$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ gradient</li> <li>✓ y intercept</li> <li>✓ correct equation (any form)</li> </ul>

**Question 4 (continued)**

Two points are located at  $A(-10, 5)$  and  $B(6, 29)$ .

- (b) Line  $L_2$  is perpendicular to  $L_1$  and passes through the mid-point of  $A$  and  $B$ . Determine the equation of  $L_2$ . (3 marks)

<b>Solution</b>
$M(-2, 17)$
$m = -1 \div \left(-\frac{1}{4}\right) = 4$
$y - 17 = 4(x - (-2))$ $y = 4x + 25$
<b>Specific behaviours</b>
<ul style="list-style-type: none"><li>✓ coordinates of midpoint</li><li>✓ perpendicular gradient</li><li>✓ equation of line (any form)</li></ul>

## Question 5

(6 marks)

(a) Expand and simplify  $(x - 2)(3x - 1)(x + 2)$ .

(2 marks)

<b>Solution</b>
$(x - 2)(3x - 1)(x + 2) = (3x - 1)(x^2 - 4)$ $= 3x^3 - x^2 - 12x + 4$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ expands one pair of terms</li> <li>✓ simplified expansion</li> </ul>

(b) One solution to the equation  $x^3 + 56 = 34x - x^2$  is  $x = 4$ . Determine all other solutions.

(4 marks)

<b>Solution</b>
$x^3 + x^2 - 34x + 56 = 0$ $(x - 4)(x^2 + ax - 14) = 0$ $-4 + a = 1 \Rightarrow a = 5$ $(x - 4)(x^2 + 5x - 14) = 0$ $(x - 4)(x - 2)(x + 7) = 0$ Other solutions: $x = 2, \quad x = -7$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ equates to zero and identifies <math>(x - 4)</math> as a factor</li> <li>✓ factors out quadratic expression</li> <li>✓ identifies value of <math>a</math></li> <li>✓ factors quadratic and states other two solutions</li> </ul>



Question 6

(8 marks)

(a) Solve the equation  $\sqrt{3} \tan(x) - 3 = 0$  for  $0 \leq x \leq 2\pi$ .

(2 marks)

Solution
$\tan x = \frac{3}{\sqrt{3}} = \sqrt{3}$ $x = \frac{\pi}{3}, \frac{4\pi}{3}$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ one solution</li> <li>✓ second solution (penalise once for use of degrees)</li> </ul>

(b) A function has a period of  $k$  and is defined by  $f(x) = 4 \cos(2x)$ , where  $x$  is in radians.

(i) State the value of  $k$ .

(1 mark)


Solution
(i) $k = \frac{2\pi}{2} = \pi$
(ii) Amplitude is 4
Specific behaviours
<ul style="list-style-type: none"> <li>✓ period</li> <li>✓ amplitude</li> </ul>

(ii) State the amplitude of  $f(x)$ .

(1 mark)

(iii) Sketch the graph of  $y = f(x)$  over the domain  $-k \leq x \leq k$ .

(4 marks)



Solution
See graph
Specific behaviours
<ul style="list-style-type: none"> <li>✓ amplitude correct, with scale indicated</li> <li>✓ axes intercepts, with scale indicated</li> <li>✓ two complete cycles (no penalty for slightly exceeding domain)</li> <li>✓ smooth curve</li> </ul>

## Question 7


(8 marks)

- (a) The graph of the relation  $y^2 = x$  passes through the points  $(16, a)$  and  $(b, -5)$ . Determine the values of  $a$  and  $b$ . (3 marks)

Solution
$a^2 = 16 \Rightarrow a = 4, a = -4$
$(-5)^2 = b \Rightarrow b = 25$
Specific behaviours
<ul style="list-style-type: none"><li>✓ one value of <math>a</math></li><li>✓ both values of <math>a</math></li><li>✓ value of <math>b</math></li></ul>

Question 7 (continued)

(b) Another relation is circular, as shown below.



- (i) Determine the equation of this circle in the form  $x^2 + y^2 = a + bx + cy$ , where  $a, b$  and  $c$  are constants. (4 marks)

<b>Solution</b>
Centre at $(3, -2)$ and $r = 6$
$(x - 3)^2 + (y + 2)^2 = 6^2$
$x^2 + y^2 = 23 + 6x - 4y$
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ indicates centre</li> <li>✓ indicates radius</li> <li>✓ factored form</li> <li>✓ re-arranges as required</li> </ul>

- (ii) What feature of the graph indicates that a relation rather than a function is shown? (1 mark)

<b>Solution</b>
A vertical line can be drawn that intersects the circle more than once, and thus shows a relation.
<b>Specific behaviours</b>
✓ uses vertical line test

## Question 8

(8 marks)

- (a) The twelfth row of Pascal's triangle begins with the numbers 1, 12, 66, 220, 495, 792, 924 and so on.

- (i) State the value of  $\binom{12}{5}$ .

Solution
$\binom{12}{5} = 792$
Specific behaviours
✓ correct value

(1 mark)

- (ii) Deduce the value of  $\binom{13}{4}$ .

Solution
$\binom{13}{4} = \binom{12}{3} + \binom{12}{4} = 220 + 495 = 715$
Specific behaviours
✓ indicates use of terms in previous row ✓ correct value

(2 marks)

- (iii) Calculate the sum of all the terms in the eighth row of Pascal's triangle. (1 mark)

Solution
Sum = $2^8$ = 256
Specific behaviours
✓ evaluates

- (b) Determine the coefficient of the  $x^2$  term in the expansion of:

- (i)  $(4x - 3)^2$ ,

Solution
$16x^2$ ... Coefficient is 16
Specific behaviours
✓ correct value

(1 mark)

- (ii)  $(2x + 1)^5$ .

(3 marks)

Solution
Required term is $(2x)^2(1)^3 \times {}^5C_2 = 4x^2 \times 10 = 40x^2$  Coefficient is 40
Specific behaviours
✓ indicates elements of required term ✓ indicates use of ${}^5C_2$ and/or Pascals triangle ✓ correct value

Additional working space

Question number: \_\_\_\_\_

Additional working space

Question number: \_\_\_\_\_

