

Mathematics Department Year 11 Mathematics Methods

Semester 1 Examination, 2020

Solutions

Question/Answer Booklet

MATHEMATICS METHODS

UNIT 1

Section One: Calculator Free

Student Name:

Time allowed for this section

Reading time before commencing work: Working time: five minutes fifty minutes

Materials required/recommended for this section

To be provided by the supervisor This Question/Answer booklet Formula sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: nil

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Structure of this paper

| Section | Number of questions available | Number of questions to be answered | Working time (minutes) | Marks available | Percentage of examination |
|------------------------------------|-------------------------------------|--|------------------------------|--------------------|---------------------------------|
| Section One: Calculator-free | 8 | 8 | 50 | 53 | 35 |
| Section Two: Calculator-assumed | 14 | 14 | 100 | 97 | 65 |
| | | | | Total | 100 |

Instructions to candidates

- 1. The rules for the conduct of examinations are detailed in the Christ Church Grammar School reporting and assessment policy. Sitting this examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
- 3. You must be careful to confine your answer to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 5. It is recommended that you do not use pencil, except in diagrams.
- 6. Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 7. The Formula sheet is not to be handed in with your Question/Answer booklet.

35% (53 Marks)

Section One: Calculator-free

This section has **eight** questions. Answer **all** questions. Write your answers in the spaces provided.

Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.

3

Working time: 50 minutes.

Question 1

The point M(-2, 5) is the midpoint of point A(-6, 3) and point B.

- (a) Determine the coordinates of point *B*.
 - Solution $\frac{-6+x}{2} = -2 \Rightarrow x = 2$ $\frac{3+y}{2} = 5 \Rightarrow y = 7$ B(2,7) Specific behaviours ✓ correct x-coordinate ✓ correct y-coordinate
- (b) Determine the equation of the straight line that passes through point C(4, -1) and is perpendicular to the line through points *A* and *M*. (3 marks)

Solution

$$m_{AM} = \frac{5-3}{-2-(-6)} = \frac{1}{2}$$

$$m_{\perp} = -1 \div \frac{1}{2} = -2$$

$$y - (-1) = -2(x - 4)$$

$$y = -2x + 7$$
Specific behaviours
 \checkmark gradient of AM
 \checkmark perpendicular gradient
 \checkmark correct equation

(5 marks)

(2 marks)

METHODS UNIT 1

Question 2

Functions f and g are defined by $f(x) = 4x^2 - 4x + 5$ and $g(x) = 2x^2 - 8x + 6$.

(a) Determine the discriminant of f and the discriminant of g.

(5 marks)

Solution
$$\Delta_f = (-4)^2 - 4(4)(5) = -64$$
 $\Delta_g = (-8)^2 - 4(2)(6) = 16$ Specific behaviours✓ discriminant of f ✓ discriminant of g

(b) State, with justification, which function has no zeros and determine all zeros of the other function. (3 marks)

| Solution | | |
|---|--|--|
| f has no zeroes as $\Delta_f < 0$. | | |
| | | |
| g(x) = 0 when | | |
| $-(-8) \pm \sqrt{16}$ | | |
| x = | | |
| $x = 2 \pm 1$ | | |
| | | |
| g has zeros when $x = 1, x = 3$. | | |
| | | |
| Specific behaviours | | |
| \checkmark states f or $f(x)$ has no zeroes | | |
| \checkmark indicates appropriate method to find zeros | | |
| ✓ both zeros of <i>g</i> or $g(x)$ | | |

Question 3

The expansion of $(x + 1)^9$ is

 $x^{9} + 9x^{8} + 36x^{7} + 84x^{6} + 126x^{5} + 126x^{4} + 84x^{3} + 36x^{2} + 9x + 1.$

(a) Determine the number of combinations of 6 objects taken from a set of 9 distinct objects.

Solution x^3 (or x^6) coefficient: $\binom{9}{6} = 84$ Specific behaviours ✓ correct number

(b) Consider the simplified expansion of $(x + 1)^{10}$. The first four terms in descending powers of x are

$$x^{10} + ax^9 + bx^8 + cx^7.$$

(i) State the number of terms in the complete simplified expansion. (1 mark)



(ii) Determine the value of each of the coefficients a, b and c.

(2 marks)

SolutionUsing coefficients from expansion of $(x + 1)^{10}$ and properties of Pascal's triangle:a = 1 + 9 = 10b = 9 + 36 = 45c = 36 + 84 = 120Specific behaviours \checkmark at least 2 correct \checkmark all three correct

(1 mark)

(a) A periodic function is defined by $f(x) = 2 - 2\sin(3x)$.

(i) State the amplitude of the function. (1 mark) **Solution** Amplitude is 2. Specific behaviours ✓ correct amplitude

(ii) State the period of the function in degrees. (1 mark) Solution Period is $360 \div 3 = 120^{\circ}$. **Specific behaviours** ✓ correct period

(iii) Sketch the graph of y = f(x) on the axes below.

(3 marks)



y **Solution** 6 See graph **Specific behaviours** ✓ (0,2) and (180,2) ✓ locates turning pts 4 ✓ smooth curve 2 $\Rightarrow x$ 150 30 60 90 120 180 -2

Solve the equation $2\cos(x - 15^\circ) = \sqrt{3}$ where $0 \le x \le 360^\circ$. (b) (3 marks) Solution $\cos(x-15^\circ) = \frac{\sqrt{3}}{2}$ $x - 15^\circ = 30^\circ, 330^\circ$ $x = 45^{\circ}, 345^{\circ}$ **Specific behaviours** \checkmark determines an angle for $\frac{\sqrt{3}}{2}$ ✓ determines one solution ✓ both correct solutions

(8 marks)

Question 5

(a) Sketch the graph of $(x - 1)^2 + (y + 1)^2 = 4$ on the axes below.

(7 marks)





(b) Sketch the graph of $y^2 = x$ on the axes below.

(2 marks)



(c) Explain whether y is a function of x in the relationship graphed in (b).

(2 marks)



✓ explanation (VLT, one-to-many, etc)

7

METHODS UNIT 1

Question 6

(i)

(a) The variable *P* is inversely proportional to the variable *t*, so that when t = 2.4, P = 20.

8

(i) Explain how *P* will change as *t* decreases.



- (ii) Determine t when P = 6.
 - Solution $P \times t = k \Rightarrow k = 2.4 \times 20 = 48$ $6t = 48 \Rightarrow t = 8$ Specific behaviours \checkmark indicates appropriate method \checkmark correct value

(b) Part of the graph of
$$y = \frac{a}{x-3}$$
 is drawn below.

Determine the value of *a*.

 Specific behaviours

 ✓ substitutes point to calculate value

 ✓ correct value

 (ii) Draw the remainder of the graph.
 (3 marks)

Solution $(2, -3) \Rightarrow -3 = \frac{a}{2-3} \Rightarrow a = 3$

3

(8 marks)

(1 mark)

(2 marks)

Specific behaviours
 ✓ asymptotes
 ✓ thru' (0, -1), (4, 3)
 ✓ two smooth curves

(2 marks)

Solution (b)(ii)

See graph

 $rac{1}{2}x$

(8 marks)

(2 marks)

Question 7

(a) Determine an exact value for $\sin 80^{\circ} \cos 110^{\circ} - \cos 80^{\circ} \sin 110^{\circ}$.

| Solution | | |
|--|--|--|
| $\sin 80^{\circ} \cos 110^{\circ} - \cos 80^{\circ} \sin 110^{\circ} = \sin(80^{\circ} - 110^{\circ})$ | | |
| $=\sin(-30^{\circ})$ | | |
| 1 | | |
| $=-\frac{1}{2}$ | | |
| | | |
| Specific behaviours | | |
| ✓ uses double angle formula | | |
| ✓ states exact value | | |

(b) Determine all possible values of $\tan \theta$ when $\cos \theta = \frac{2}{5}$.



(c) Determine an exact value for $\cos 105^{\circ}$.



(3 marks)

(3 marks)

(8 marks)

Question 8

(c)

Solve the following equations for x.

(a)
$$x^2 + 20x - 21 = 0.$$
 (2 marks)
 $x^2 + 20x - 21 = (x - 1)(x + 21)$
Hence $x = 1, x = -21.$
Specific behaviours
 \checkmark factorises
 \checkmark states both solutions

(b)
$$(x-1)^2 - 4 = 2x - 3.$$
 (3 marks)

$$\begin{array}{r} Solution \\ x^2 - 2x + 1 - 4 = 2x - 3 \\ x^2 - 4x = 0 \\ x(x-4) = 0 \\ x = 0, \quad x = 4 \end{array}$$

$$\begin{array}{r} Specific behaviours \\ \checkmark expands and equates to zero \\ \checkmark factorises \\ \checkmark states both solutions \end{array}$$

$$x^{3} - 2x^{2} - 11x + 12 = 0.$$
Solution
$$x^{3} - 2x^{2} - 11x + 12|_{x=1} = 13 - 13 = 0$$

$$x^{3} - 2x^{2} - 11x + 12 = (x - 1)(x^{2} - x - 12)$$

$$= (x - 1)(x + 3)(x - 4)$$

$$x = -3, \quad x = 1, \quad x = 4$$
Specific behaviours
 \checkmark indicates linear factor
 \checkmark factorises
 \checkmark states all solutions



Supplementary page

Question number: _____

© 2020 WA Exam Papers. Christ Church Grammar School has a non-exclusive licence to copy and communicate this document for non-commercial, educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers. SN018-152-7.