

PERTH MODERN SCHOOL

Exceptional schooling. Exceptional students.

Independent Public School

Course:	Methods Year: 11
Student Name:	Teacher Name:
Date: 09/09/22	
Task Type:	Response
Time Allowed:	<u>40</u> minutes
Number of Questions: <u>8</u>	
Materials Required:	CAS calculator (ClassPad) and one double-sided A4 pages of notes (to be provided by the student)
Standard Items:	Pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler and highlighters
Special Items:	Drawing instruments, templates, notes on one unfolded sheet of A4 paper (both sides) and up to three calculators approved for use in the WACE examinations
Marks Available:	40 marks
Task Weighting:	<u> 10 </u> %
Formula Sheet Provided: Yes	


Note: All questions worth more than 2 marks require working to obtain full marks.

TEST 4: TRIGONOMETRY AND EXPONENTIALS


Question 1 [6 marks – 2, 2, 2]

(1.2.4)

a) Determine *BC*, to 1 decimal place.



b) Determine $\angle DFE$, to the nearest degree.





c) Find the exact area of $\triangle GHI$, given that GI = 8 m, HI = 12 m and $\angle GIH = 45^{\circ}$.

(1.2.5 - 1.2.6)

[4 marks] **Question 2**

For the shape below, arc *AB* has radius 11 cm, arc *OB* has radius 12 cm and $\angle AOB = 0.85$. Find the area of the shape to 1 decimal place.






b) Determine the exact values of the following: i) sin 135° ii) tan 300°

Question 4 [3 marks – 1, 2]

(1.2.9-1.2.12, 1.2.15)

A pendulum oscillates such that its horizontal position x cm with respect to time t seconds is as shown in the graph below.



a) State the amplitude and period of the pendulum.

b) Given that $x(t) = a \cos(bt)$, state the equation of the pendulum's motion.


Question 5 [7 marks – 3, 4]

(1.2.16, 1.2.14)

a) Given that $\sin a = b$, where *a* is a positive acute angle, determine the exact solutions of $\sin 2\theta = -b$ where $0 \le \theta \le 2\pi$.

Question 5 (continued)

b) If $\cos A = -\frac{12}{13}$ where $180^{\circ} < A < 270^{\circ}$ and $\sin B = \frac{15}{17}$ where *B* is obtuse, determine the exact value of $\cos(A - B)$.



Question 7 [6 marks – 3, 3]

(2.1.1-2.1.2, 2.1.7)


a) Simplify $(64a^6b^{15})^{\frac{1}{3}} \div (a^5bc^2)$, expressing your answer with positive indices.

b) Solve $16^x = 128$ for the exact value of *x*, showing all working.

Question 8 [6 marks – 4, 2]

(2.1.1-2.1.2, 2.1.7)

A cup of green tea is poured at 80°C and cools down towards room temperature at an exponential rate, as shown below.



Mathematics Department

a) The temperature $T^{\circ}C$ after *t* hours can be modelled using the equation $T = ab^t + k$. Using the information shown, determine the equation.

b) The safe drinking temperature is estimated to be about 57°C. How long does the tea need to cool for to be safe to drink, to the nearest minute?

SUPPLEMENTARY PAGE

Question: _____

Question: _____