







Mathematics Methods

Unit 3

Differentiation – Graphs

1.	Graph (polynomial) of:
(a) $f(x)$	
<div style="text-align: center;">  </div>	
<ul style="list-style-type: none"> • $f(x)$ graph that intersects with the horizontal axis (x-axis)/ vertical axis (y -axis) is the x or y intercept(s) • Stationary point(s) can be seen through the shape of graph as follows: 	
Concave up (max. point)	
Concave down (min. point)	
Horizontal inflection point	
Oblique inflection point	


(b) $f'(x)$



- $f'(x)$ graph that intersects with the horizontal axis (x -axis) may reflect the stationary points (either max., min. or horizontal inflection point) in the graph of $f(x)$.
- * $f'(x)$ graph:

Below x -axis	Graph of $f(x)$ decreasing
Above x -axis	Graph of $f(x)$ increasing

Ex:




- Maximum or minimum point

Min. point		x^-	x_0	x^+
	$\frac{dy}{dx}$	$-ve$	0	$+ve$
	Slope			
	Stationary point			
*Decreasing to increasing $f'(x)$ graph				
Max. point		x^-	x_0	x^+
	$\frac{dy}{dx}$	$+ve$	0	$-ve$
	Slope			
	Stationary point			
*Increasing to decreasing $f'(x)$ graph				


*follow the previous point

<p>• Inflection point</p>	<p style="text-align: center;">$f'(x) = 0$</p> <p>(concave up/ down $f'(x)$ graph touches the x-axis as $f'(x) = 0$)</p> <p>Ex:</p> <p style="text-align: center;">$\frac{d}{dx}(f'(x)) = 0 / f''(x) = 0$ & $f'(x) = 0$</p> <p style="text-align: center;">Horizontal inflection point</p> <p style="text-align: center;">or</p> <p style="text-align: center;">Horizontal inflection point</p> <p style="text-align: center;">$\frac{d}{dx}(f'(x)) = 0 / f''(x) = 0$ & $f'(x) = 0$</p>
<p>Horizontal inflection point (HIP)</p>	<p style="text-align: center;">$f'(x) \neq 0$</p> <p>(concave up/ down $f'(x)$ graph is either above/ below x-axis as $f'(x) \neq 0$)</p> <p>Ex:</p> <p style="text-align: center;">Oblique inflection point (OIP)</p> <p style="text-align: center;">$\frac{d}{dx}(f'(x)) = 0 / f''(x) = 0$</p>
	<p>Oblique inflection point (OIP)</p>

<p>Oblique inflection point (OIP)</p>	<p>or</p>  <p>The maximum/ min point of $f'(x)$ graph is the point of oblique inflection for $f(x)$ graph</p>
---------------------------------------	---

- $f'(x)$ values of any point on the graph is the gradient value for graph of $f(x)$

(c) $f''(x)$





- $f''(x)$ graph that intersects with the horizontal axis (x -axis) reflects the inflection points in graph of $f(x)$.
- If $f''(x)$ graph touches but does not intersect (cross) the horizontal axis (x -axis), concavity does not change, thus it cannot be an inflection point.
- $f''(x)$ graph:

Below x -axis, $f''(x) < 0$	Graph of $f(x)$ concave downwards
Above x -axis, $f''(x) > 0$	Graph of $f(x)$ concave upwards


2. Derivative of various graphs of function

(a) Polynomial

Power of	Example				
2	 <p style="text-align: center;">$f(x) = 2x^2 + 5x + 7$</p> <table border="1"> <thead> <tr> <th>Analysis</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>There is an min. point at $x = -1\frac{1}{4}$</td> <td>$f'(x)$ graph intersects the horizontal axis (x-axis) at $x = -1\frac{1}{4}$ from decreasing to increasing $f(x)$.</td> </tr> </tbody> </table>	Analysis	Reason	There is an min. point at $x = -1\frac{1}{4}$	$f'(x)$ graph intersects the horizontal axis (x -axis) at $x = -1\frac{1}{4}$ from decreasing to increasing $f(x)$.
Analysis	Reason				
There is an min. point at $x = -1\frac{1}{4}$	$f'(x)$ graph intersects the horizontal axis (x -axis) at $x = -1\frac{1}{4}$ from decreasing to increasing $f(x)$.				

3	 <p style="text-align: center;">$f(x) = 3x^3 + 4x^2 + 6x - 5$</p> <table border="1"> <thead> <tr> <th>Analysis</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>There is an inflection point at $x = -\frac{4}{9}$</td> <td>$f''(x)$ graph intersects with the horizontal axis (x-axis) at $x = -\frac{4}{9}$.</td> </tr> <tr> <td></td> <td style="text-align: center;"><i>or</i></td> </tr> <tr> <td></td> <td>Min. point of $f'(x)$ graph is above the horizontal axis (x-axis).</td> </tr> </tbody> </table>	Analysis	Reason	There is an inflection point at $x = -\frac{4}{9}$	$f''(x)$ graph intersects with the horizontal axis (x -axis) at $x = -\frac{4}{9}$.		<i>or</i>		Min. point of $f'(x)$ graph is above the horizontal axis (x -axis).
Analysis	Reason								
There is an inflection point at $x = -\frac{4}{9}$	$f''(x)$ graph intersects with the horizontal axis (x -axis) at $x = -\frac{4}{9}$.								
	<i>or</i>								
	Min. point of $f'(x)$ graph is above the horizontal axis (x -axis).								


4



$$f(x) = 3x^4 + 3x^3 + 5x^2 + 7x + 17$$

Analysis	Reason
There is a min. point at $x = -0.719147$	$f'(x)$ graph intersects the horizontal axis (x -axis) at $x = -0.719147$ from decreasing to increasing $f(x)$.



5




$$f(x) = -4x^5 + 2x^4 + 12x^3 + 7x^2 - x + 5$$


Analysis	Reason
There is a min. point at $x = 0.061568$	$f'(x)$ graph intersects the horizontal axis (x -axis) at $x = 0.061568$ from decreasing to increasing $f(x)$.
There is a min. point at $x = 1.69517$	$f'(x)$ graph intersects the horizontal axis (x -axis) at $x = 1.69517$ from increasing to decreasing $f(x)$.
There are inflection points at $x = -0.661023$, $x = -0.2235$ and $x = 1.18452$	$f''(x)$ graph intersects with the horizontal axis (x -axis) at $x = -0.661023$, $x = -0.2235$ and $x = 1.18452$.

(b) Trigonometric

Graph of	Example
<p><i>sin</i></p>	 <p>Derivative graph of <i>sin</i> will be of the shape for graph of <i>sin</i> for every 4th, 8th, 12th,... derivation.</p>
<p><i>cos</i></p>	 <p>Derivative graph of <i>cos</i> will be of the shape for graph of <i>cos</i> for every 4th, 8th, 12th,... derivation.</p>

(c) Exponential and logarithmic


Graph	Example
<p>Logarithmic graph</p>	 <p>$f(x) = \log_5 x$</p>

Exponential graph	If function in form of Ae^{bx} Ex: $5e^{5x}$	Graph $f(x)$ is the same regardless of differentiation.
	If function in form of Ae^{bx} Ex: $5e^{5x}$	Graph $f(x)$ is vertically stretched as $ A > 1$. 
	Other	Graphs of derivative for graph $f(x)$ varies according to the exponential function, $f(x)$.

3. Exam questions

Example 1:


Diagram below shows graphs of $f'(x)$ and $f''(x)$ being plotted in the same graph.



- Identify whether the graph of $f(x)$ has inflection points, maximum point or minimum point. If yes, state the point(s).


Inflection points: b and d
 Maximum point: a and e
 Minimum point: c

- Sketch a graph of $f(x)$.



Example 2:


Diagram below shows a graph of $f(x)$ that has a maximum point at $x = -\frac{1}{3}$.



- What values of x is the gradient of graph positive?

$$x > -\frac{1}{3}$$

- Sketch a graph of $f'(x)$.



END