

## Semester 2 (Units 3 and 4) Examination, 2016

### Question/Answer Booklet

## MATHEMATICS METHODS

### Section Two: Calculator-assumed

Student Name/Number: \_\_\_\_\_

Teacher Name: \_\_\_\_\_

#### Time allowed for this section

Reading time before commencing work: ten minutes

Working time for this section: hundred minutes

#### Materials required/recommended for this section

**To be provided by the supervisor:** This Question/Answer Booklet  
Formula Sheet (retained from Section One)

#### To be provided by the candidate:

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates, notes on \_\_\_\_ unfolded sheets of A4 paper, and up to three calculators approved for use in the WACE examinations

#### Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

### Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	10	10	50	54	35
Section Two: Calculator-assumed	13	13	100	104	65
					100

### Instructions to candidates

1. The rules for the conduct of School exams are detailed in the \_\_\_\_\_ *School/College assessment policy*. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer Booklet.
3. You must be careful to confine your responses to the specific questions asked and to follow any instructions that are specific to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
  - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
  - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. **Show all working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you **do not use pencil**, except in diagrams.
7. The Formula Sheet is **not** to be handed in with your Question/Answer Booklet.

**Section Two: Calculator-assumed****(104 Marks) Weighting 65%**

This section has **(thirteen) 13** questions. Answer **all** questions. Write your answers in the spaces provided. Spare pages are included at the end of this booklet.

Suggested working time: **90 minutes**.

---

**Question 11****(3 marks)**

Consider the function  $y = 1 - e^{5x^2 - \ln(2-x)}$ . Using calculus techniques, determine the equation of the tangent at the point where  $x = 1$ , giving the exact value of all coefficients and constant terms.

## Question 12

(11 marks)

- (a) A bag contains one 50c coin, three 20c coins, seven 10c coins and  $k$  5c coins.
- (i) If one coin is selected at random, show that the probability of a 10c coin being selected is  $\frac{7}{11+k}$ . (2 marks)
- (ii) If the discrete random variable  $X$  is the amount in cents that can be obtained when one coin is selected at random, determine the value of  $k$  if  $E(X) = 10c$ . (3 marks)
- (b) A gas lighter ignites on any one trial with a probability of 0.4.
- (i) The lighter will be tried until it ignites at least once. What is the minimum number of trials you should allow if you wish to be at least 99% sure it will ignite? (3 marks)
- (ii) The lighter has enough fuel to ignite nine times. Calculate the probability that the lighter will use the last of its fuel on the eleventh trial. (3 marks)

## Question 13

(8 marks)

- (a) A finance investment agency advertises that it compounds interest continuously and that it will double an initial investment in 12 years.  
When interest is calculated in this way, the investment grows at the rate given by

$$\frac{dI}{dt} = rI$$

where  $I$  represents the value of the investment after  $t$  years and  $r$  represents the annual interest rate. Determine the exact value of the annual interest rate. (3 marks)

- (b) As a tornado moves, its speed  $S$ , in kilometres per hour, increases at the rate given by

$$\frac{dS}{dx} = \frac{b}{5x+2}$$


where  $x$  is the distance the tornado has travelled in kilometres and  $b$  is a constant. If the speed of the wind is 65 km per hour before the tornado starts to move, show that the expression for the speed of the wind in terms of the distance the tornado has travelled is

given by  $S = \frac{b}{5} \left[ \ln \left( \frac{5x+2}{2} \right) \right] + 65$  (5 marks)

**Question 14**

**(9 marks)**

The diagram below shows the graph of the function  $f(x) = -2\sin(3x)$  and a linear function  $g(x)$ , which is tangential to  $f(x)$  at the point P.



- (a) Given that  $g(0) = 0$  show that the coordinates of P are approximately  $(1.50, 1.95)$ . (4 marks)
- (b) Determine  $g(x)$ , the equation of the tangent, rounding the coefficient of  $x$  to one decimal place. (2 marks)
- (c) Determine the area of the shaded region enclosed by  $f(x)$  and  $g(x)$ . Give your answer to two decimal places. (3 marks)

**Question 15****(4 marks)**

(a) Consider the function  $f(x) = x \ln x - x + 3$ , where  $x > 0$ . Determine  $f'(x)$ . (1 mark)

(b) Hence determine an expression for  $\int \ln x dx$ . (1 mark)

(c) Using the result from part (b), determine an expression for  $g(x) = \int \ln(x^2) dx$ . (2 marks)

**Question 16****(6 marks)**

A particle travels along a straight line with its acceleration at time  $t$  seconds given by  $a(t) = kt - 6 \text{ m/s}^2$ , where  $k$  is a constant. The particle has an initial velocity of 3 m/s. After 2 seconds the particle has a displacement of 19 m and after 3 seconds its displacement is 26 m. Calculate the distance travelled by the particle in the first three seconds.



**Question 17****(13 marks)**

The ABC bank, in a random sample of 625 of its customers, found that 450 of the sample used online banking to pay their bills.

- (a) Calculate the sample proportion of these customers who had used online banking to pay their bills. (1 mark)
- (b) Calculate the 99% confidence interval for the population proportion and interpret your answer. (3 marks)
- (c) A second survey of ABC Bank customers is planned; however, it is decided that the 99% confidence interval should involve a maximum margin of error of 2%. Determine the sample size required for such a survey. (4 marks)
- (d) If many samples of this size were taken how would you expect the sample proportions to be approximately distributed? Include the parameters of the distribution in your answer. (3 marks)
- (e) If eight surveys were taken and for each a 99% confidence interval for the population proportion was calculated, determine the probability that at least seven of the intervals included the true value of the population proportion. (2 marks)

## Question 18

(9 marks)

- (a) The loudness (in decibels) of a sound of intensity,  $I$ , is defined to be

$$L = 10 \log \left( \frac{I}{I_0} \right)$$

where  $I_0$  is the minimum intensity of sound that can be detected by the human ear.

- (i) The loudness of the sound of a vacuum cleaner is 70 decibels. Determine the intensity of this sound in terms of  $I_0$ . (1 mark)

- (ii) The intensity of the sound of an electric drill is  $10^{9.8} \times I_0$ . How many times is the intensity of the sound of the electric drill greater than the intensity of the sound of a vacuum cleaner. (2 marks)

- (iii) Determine the loudness (in decibels) of the sound of the electric drill in part (ii). (1 mark)

- (b) A particle is in rectilinear motion and its velocity,  $v$ , at any time  $t$  seconds is given by

$$v = \cos 2t \text{ ms}^{-1}$$

- (i) Determine an expression for  $\frac{dv}{dt}$ , the acceleration of the particle. (1 mark)
- (ii) What is the velocity and the acceleration of the particle when  $t = \pi$ ? (2 marks)
- (iii) What feature of the velocity is indicated by the value of the acceleration when  $t = \pi$ ? (1 mark)
- (iv) During a particular second, the acceleration increases from  $-1.8 \text{ ms}^{-2}$  to  $1.5 \text{ ms}^{-2}$ . Describe the velocity of the particle during this second. (1 mark)

**Question 19****(10 marks)**

The continuous random variable  $X$  has probability density function  $f(x) = kx^2$ ,  $1 \leq x \leq 2$ .

- (a) Determine the value of the constant  $k$ . (2 marks)
- (b) Determine the standard deviation of  $X$ . (3 marks)
- (c) Determine the cumulative distribution  $F(x)$ . (3 marks)
- (d) Given that the median,  $m$ , divides  $f(x)$  into two equal areas, determine the value of  $m$ . (2 marks)

**Question 20**

**(5 marks)**

- (a) The number of students in each of the years 7 to 9 at a Perth school is given in the table below:

Year	7	8	9
Number of students	305	381	346


A stratified sample of 75 students is to be selected from the year 7 to 9 students they can complete a survey. How many of each year group should be in the sample if it is to reflect the proportions of the whole school population? (2 marks)

- (b) A unbiased six sided die is rolled and the number on the uppermost face is recorded as the random variable  $X$ .

(i) What is the distribution of  $X$ ? (1 mark)

(ii) What is the mean of the distribution (1 mark)

The graph below shows the distribution of a sample of 25 numbers generated when an unbiased six sided die was rolled.



- (iii) If the sample size was 1000 describe the changes you would expect to see in the graph. (1 mark)

**Question 21****(7 marks)**

The company Macom manufactures machine components. Random samples of machine components made by Macom were taken and the proportion of defective components in each sample was determined. The number in each sample was also noted. Consider the results of eight such samples tabled below:

Sample	1	2	3	4	5	6	7	8
Number in sample	122	72	450	158	280	150	205	310
Sample proportion of defective components (rounded to 4 d.p.)	0.0246	0.0139	0.0222	0.0253	0.0250	0.0133	0.0244	0.0226

- (a) Explain which single sample is likely to give the best estimate of the population proportion of defective components. (1 mark)
- (b) The owner of Macom reviews the above data and estimates the population proportion of defective components by calculating the mean of the sample proportions. Determine her estimate and explain why this is not a good idea. (2marks)
- (c) An analyst working for Macom uses the above data to make the best possible estimate of the proportion of defective components. Determine this estimate and explain why it is the best possible from the data available. (4 marks)

**Question 22****(8 marks)**

A machine is producing bolts whose lengths are normally distributed with a mean of 6.50 cm. An upper tolerance limit of 6.54 cm has been adopted and, when the machine is correctly set, 1 in 20 bolts is rejected as exceeding this limit. On a certain day, it is found that 1 in 15 bolts is rejected for exceeding this limit.

- (a) Assuming that the mean has not changed but that the production has become more variable, estimate the new standard deviation (3 marks)
- (b) Assuming that the standard deviation has not changed but that the mean has moved, estimate the new mean. (4 marks)
- (c) If 1000 bolts are produced in a shift, how many of them may be expected to have lengths in the range 6.48 to 6.53 cm if the machine is set as in part (a)? (1 mark)

**Question 23****(11 marks)**

Suppose that the quantity  $q$  of some product that the public would like to buy if the price were  $x$  is given by  $q = f(x)$ . The elasticity of demand  $E$  is defined by

$$E = \left( \frac{dq}{dx} \right) \left( \frac{x}{q} \right)$$

- (a) Show that  $E = \frac{\frac{d}{dx}(\ln f(x))}{\frac{d}{dx}(\ln x)}$ , justifying your answer. (3 marks)

- (b) Show that, if  $f(x) = kx^\alpha$  ( $k > 0$ ,  $k$  and  $\alpha$  constant) then  $E = \alpha$  (2 marks)



- (c) If  $y = \ln(1 + \sin x)$ , prove that  $\frac{d^2y}{dx^2} + e^{-y} = 0$  given that  $\sin^2 x + \cos^2 x = 1$

(4 marks)

- (d) What can be deduced from  $\frac{d^2y}{dx^2} + e^{-y} = 0$  about the stationary points of  $y$ ? (2 marks)

**End of questions**



Additional working space

Question number: \_\_\_\_\_

### Acknowledgements

© MAWA, 2016

This examination is Copyright but may be freely used within the school that purchases this licence.

- The items that are contained in this examination are to be used solely in the school for which they are purchased.
- They are not to be shared in any manner with a school which has not purchased their own licence.
- The items and the solutions/marking keys are to be kept confidentially and not copied or made available to anyone who is not a teacher at the school. Teachers may give feedback to students in the form of showing them how the work is marked but students are not to retain a copy of the paper or the marking guide until the agreed release date stipulated in the purchasing agreement/licence.