



## **PHYSICS SAMPLE EXAMINATION STAGE 2**

Section 7 of the *New WACE Manual: General Information 2006–2009* outlines the policy on WACE examinations.

Further information about the WACE Examinations policy can be accessed from the Curriculum Council website at [http://newwace.curriculum.wa.edu.au/pages/about\\_wace\\_manual.asp](http://newwace.curriculum.wa.edu.au/pages/about_wace_manual.asp).

The purpose for providing a sample examination is to provide teachers with an example of how the course will be examined. Further finetuning will be made to this sample in 2007 by the examination panel following consultation with teachers, measurement specialists and advice from the Assessment, Review and Moderation (ARM) panel.

DRAFT



## Western Australian Certificate of Education, Sample External Examination Question/Answer Booklet

### PHYSICS WRITTEN PAPER STAGE 2

Please place your student identification label in this box

Student Number: In figures

--	--	--	--	--	--	--	--

In words

---

---

#### ***Time allowed for this paper***

Reading time before commencing work:

Ten minutes

Working time for paper:

Three hours

#### ***Material required/recommended for this paper***

##### **To be provided by the supervisor**

This Question/Answer Booklet; Formulae and Constants sheet

##### **To be provided by the candidate**

Standard items: Pens, pencils, eraser or correction fluid, ruler, highlighter

Special items: Calculator

#### ***Important note to candidates***

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

**All calculations are to be set out in detail.** Marks may be awarded for correct equations and clear setting out, even if you cannot complete the calculation. Express **numerical answers** to two (2) or three (3) significant figures and include units where appropriate. Express **estimates** to one (1) or two (2) significant figures with units, and state any assumptions clearly.

**Structure of this paper**

Section of exam	Suggested working time	Number of questions	Number of questions to be attempted	Marks available
Section One	70 minutes	19	all	51
Section Two	80 minutes	6	all	55
Section Three	30 minutes	1	all	14
[Total marks]				120

**Instructions to candidates**

1. The rules for the conduct of WACE examinations are detailed in the *Student Information Handbook*. Sitting this examination implies that you agree to abide by these rules.
2. Answer **all** questions in the spaces provided in this Question/Answer Booklet.
3. A blue or black ballpoint or ink pen should be used.

**SECTION ONE: SHORT ANSWER**

This section has **NINETEEN (19)** questions. Attempt **ALL** questions. Answer in the spaces provided.

Allow approximately 70 minutes to complete this section [51 marks].

---

**Question 1**

(a) Explain briefly how the kinetic theory of matter distinguishes between heat and temperature.

[2 marks]

---

---

---

---

(b) Consider a 2 kg iron block and a 2 kg block of aluminium that are both at 20 °C. If you put 1000 J of heat into each of the blocks, will their temperatures still be equal? Explain.

[3 marks]

Circle the best answer:      YES      NO      INSUFFICIENT DATA SUPPLIED

Explanation: \_\_\_\_\_

---

---

---

---

**Question 2**

If you drop a 2.00 kg house brick from the edge of a roof, 4.50 m high, with what kinetic energy will the brick impact the ground? Show your working clearly.

[3 marks]

---

---

---

---

---

---

**Question 3**

One light year is the distance that light, moving at  $3.00 \times 10^8 \text{ m s}^{-1}$ , travels in one year. Express one light year in metres.

[2 marks]

---

---

---

---

**Question 4**

If there are two or more light globes in a room, they are always connected in parallel. Give two reasons for this.

[2 marks]

Reason 1: \_\_\_\_\_

---

---

Reason 2: \_\_\_\_\_

---

---

**Question 5**

Show in a diagram how to connect a group of  $1.00 \Omega$  resistors so that the overall resistance of the group is  $3.00 \Omega$ .

[1 mark]

**Question 6**


When a neutron,  ${}_0^1\text{n}$ , strikes an atom of  ${}_{5}^{10}\text{B}$ , the products are alpha radiation,  ${}_{2}^4\alpha$ , and an isotope of lithium,  ${}_{3}^{11}\text{Li}$ . Write a balanced equation for this reaction.

[1 mark]

---

**Question 7**

Annette set up two resistors as shown in the diagram.



Annette used a multimeter to measure the resistance between A and B. Calculate the resistance value that was shown on the multimeter.

[3 marks]

---



---



---



---

**Question 8**

The half-life of  $^{235}_{92}\text{U}$  is  $7.0 \times 10^8$  years. Most geologists agree that the age of the Earth is about  $5 \times 10^9$  years. Calculate how many half lives of  $^{235}_{92}\text{U}$  there have been since the Earth formed. (Round your answer to one significant digit.)

[2 marks]

---



---



---



---

**Question 9**

Lewis turned on a Geiger counter at a distance of 2.00 m from a source of beta radiation. As he carried the counter toward the radioactive source, the reading on the counter increased. Give two reasons why the measured activity of a beta source increases as the observer approaches the source.

[2 marks]

Reason 1: \_\_\_\_\_

---



---

Reason 2: \_\_\_\_\_

---



---

**Question 10**

A sample of potassium contains enough of the radioactive isotope  ${}_{19}^{40}\text{K}$  to emit radiation with a total energy of  $1.00 \times 10^{-9}$  J each second. This isotope has a long half-life, so its energy output does not change significantly over one year.

(a) Calculate the total energy the sample radiates over a one year period.

[1 mark]

---

---

---

---

(b) If this energy is absorbed by a 75.0 kg person, calculate their whole-body absorbed radiation dose, in grey, over one year.

(If you could not get an answer to part (a), use the value  $5.00 \times 10^{-3}$  J.)

[2 marks]

---

---

---

---

**Question 11**

(a) Name and define the unit of electrical potential difference (voltage).

[2 marks]

---

---

---

---

(b) An electric circuit consists of a battery connected to a light globe. It takes 15.0 joules of work to shift 2.50 coulombs of charge through the globe. What must be the emf (voltage) of the battery?

[2 marks]

---

---

---

---



**Question 12**

There are several different types of thermal insulation material for the home.

- (a) One type of thermal insulation is a sheet of flexible plastic material covered on both sides by a silver, metallic coating. Explain how this could act as an insulator.

[2 marks]

---

---

---

---

---

- (b) Another type of thermal insulation is a rectangular block of tangled glass fibres. Explain how this block could act as an insulator.

[2 marks]

---

---

---

---

---

**Question 13**

- (a) Calculate the minimum amount of energy required to completely melt a 360 g block of ice that is at a temperature of 0 °C. The specific latent heat capacity of ice is  $3.34 \times 10^5 \text{ J kg}^{-1}$ .

[3 marks]

---

---

---

---

---

---

---

- (b) Does this energy have to be transferred into the ice, or out of it, for the ice to melt?

[1 mark]

Circle the correct answer:                      INTO                      OUT OF

**Question 14**

Jan put a hot piece of toast on a cool, dry plate and then lifted it off. She saw drops of water on the plate in the area that had been covered by the toast. Jan thought that the water came from moisture, evaporated from the toast, which had condensed on the plate.

Which one of the following would help Jan by supporting or rejecting her hypothesis? Only one answer is correct.

[1 mark]


- A. Measuring the temperature of the plate before and after the toast was on it.
- B. Weighing the toast before and after it was on the plate.
- C. Measuring the temperature of the toast before and after it was on the plate.
- D. Weighing the plate before and after the toast was on it.

ANSWER: \_\_\_\_\_

**Question 15**

Efficient electric water heaters have the heating element at the bottom of the hot water tank. Explain the advantage of this location, in terms of the transfer of energy from the element to the water.

[2 marks]



---

---

---

---

---

---

---

---


---

---

**Question 16**

Sam placed a beaker containing a mixture of ice and water over a burner, and left it there until all the water had boiled away. Sketch a graph to illustrate the subsequent variation of temperature of the water with time. Note that accurate values of energy added are not required. Label the portions of your graph to indicate what is taking place as energy is added.

[5 marks]



**Question 17**

Complete the table below showing some of the properties of alpha, beta and gamma radiations.

[4 marks]


	ALPHA	BETA	GAMMA
Formula	${}^4_2\alpha$		${}^0_0\gamma$
Ability to ionise matter	High	Moderate	
Ability to penetrate matter	Low		

**Question 18**

One type of nuclear reactor, known as a breeder reactor, can potentially produce more nuclear fuel than it uses. In a breeder reactor, the isotope uranium-238,  ${}^{238}_{92}\text{U}$  is converted to the isotope plutonium-239,  ${}^{239}_{94}\text{Pu}$ . The advantage of this is that  ${}^{239}_{94}\text{Pu}$  can undergo fission while  ${}^{238}_{92}\text{U}$  cannot. The reaction occurs when  ${}^{238}_{92}\text{U}$  absorbs a neutron. Two other particles are produced in this reaction.


Complete and balance the following nuclear equation showing the transformation of  ${}^{238}_{92}\text{U}$  into  ${}^{239}_{94}\text{Pu}$  as described above:

[2 marks]



**Question 19**

The graph below shows how the volume of 1.000 g of water changes as the temperature changes.



The density of a substance is calculated as  $\text{density} = \frac{\text{mass}}{\text{volume}}$ . Considering the graph above, at which of the following temperatures is the density of water the greatest?

[1 mark]

- A 273 K
- B 275 K
- C 277 K
- D 290 K

ANSWER: \_\_\_\_\_

**END OF SECTION ONE**

**SEE NEXT PAGE**

**SECTION TWO: PROBLEM-SOLVING**

This section has **SIX (6)** questions. Attempt **ALL** questions. Answer in the spaces provided.

Allow approximately 80 minutes to complete this section [55 marks].

---

**Question 20**

Geraldine threw a 2.20 kg house brick vertically upwards at an initial speed of  $3.20 \text{ m s}^{-1}$ . She caught the brick as it fell back down. Ignore air resistance in this problem.

(a) Calculate the maximum height, above Geraldine's hand, to which the brick rose.

[4 marks]

---

---

---

---

---

---

---

---

(b) The brick's final velocity was its velocity at the instant that it reached Geraldine's hand again on its downward flight. Determine the brick's final velocity and justify your answer.

[2 marks]

---

---

---

---

---

(c) Explain what is meant by 'momentum'.

[1 mark]

---

---

(d) Calculate the brick's momentum at the instant that it left Geraldine's hand.

[4 marks]

---


---

---

---

**Question 21**

Max measured 2.00 kg of cold water into an insulated container of negligible heat capacity. Then, Max heated the water using an electrical immersion heater that drew 4.20 A of current from the 250 V supply.



(a) Calculate the power output, in watts, of the immersion heater.

[2 marks]

---



---



---

(b) Use your answer to part (a) to calculate the amount of energy, in joules, transferred from the heater to the water in a 10.0 minute interval.  
(If you could not get an answer to part (a), use the value  $1.00 \times 10^3$  W.)

[4 marks]

---



---



---



---

(c) Use your answer to part (b) to show that the temperature rise of the water in this 10.0 minute interval is more than  $70^\circ\text{C}$ .  
(If you could not get an answer to part (b), use the value  $6.00 \times 10^5$  J.)

[3 marks]

---



---




---



---

**Question 22**

The graph below shows the velocity of a car, moving in a straight line, as a function of time.



**(a)** What was the car's velocity at a time of 5.00 seconds after it began to move? [1 mark]

---

**(b)** The car's acceleration is shown by the gradient (slope) of the graph line. What was the car's acceleration at a time of 3.00 seconds? Show your reasoning. [3 marks]

---



---



---



---

**(c)** The car's displacement is shown by the area under the graph line. What is the car's displacement at a time of 8.00 seconds? Show your reasoning. [3 marks]

---



---



---



---



---




---

**(d)** Was the car travelling backwards at a time of 10.0 seconds after it began to move? [1 mark]

Circle the correct answer:                      YES                      NO

**Question 23**

Phosphorus-32,  ${}_{15}^{32}\text{P}$ , is a radioactive isotope that decays according to the equation:



The nuclear masses of the reactant and the product, and the mass of the beta particle, are given in the table below, in unified atomic mass units.

Particle species	Mass (u)
${}_{15}^{32}\text{P}$	31.973 907
${}_{16}^{32}\text{S}$	31.972 071
${}_{-1}^0\beta$	0.000 549

- (a) There are  $1.03 \times 10^{15}$  decays per second in a 1.00 mg sample of  ${}_{15}^{32}\text{P}$ . Express the activity of this sample in becquerel.

[1 mark]

---

- (b) Explain:  
(i) mass defect.

[1 mark]

---

- (ii) binding energy.

[1 mark]

---

- (iii) the connection between mass defect and binding energy.

[3 marks]

---

---

---

---

- (c) Show that energy must be given off when a  ${}_{15}^{32}\text{P}$  nucleus decays.

[4 marks]

---

---

---

---

---




**Question 24**

A passenger lift of total mass  $2.00 \times 10^3$  kg moves between the ground floor and the top floor.

At the moment shown in the diagram, the lift is moving downwards at a constant speed of  $6.00 \text{ m s}^{-1}$ .

The lift continues at this speed, then decelerates and stops at ground level.



- (a) What is the weight of the lift, in newtons, while it is moving downwards at a constant speed of  $6.00 \text{ m s}^{-1}$ ? Show your reasoning.

[2 marks]

---



---



---



---


- (b) What is the tension (force) in the lift cable when the lift moves downwards at constant speed?

[1 mark]

---

- (c) Clearly show, using arrows in the diagram below, the sizes and directions of all the forces acting on the lift when it is travelling downwards at a steady speed of  $6.00 \text{ m s}^{-1}$ :

[3 marks]



**Question 25**

Bridgette says, 'A light globe filament is hot when it is working normally, and cold when it is not working normally. The resistance of a light globe filament when it is operating is about ten times as great as when it is cold.'

Consider a light globe that is designed to operate at 60.0 watts on 240 volts.

- (a) Calculate the resistance of the light globe filament when it is working normally. [3 marks]

---

---

---

---

---

- (b) If Bridgette's statement is correct, what is the resistance of the light globe filament at the instant of switching on i.e. when it is cold?  
(If you could not calculate a value in part (a), use 10.0  $\Omega$ .) [1 mark]

---

---

- (c) Explain the difference between an ohmic conductor and a non-ohmic conductor. [2 marks]

---

---

- (d) According to Bridgette, is a light globe filament an ohmic conductor? [1 mark]

the correct answer:      YES      NO

- (e) You decide to measure the resistance of a light globe to determine whether Bridgette is correct. How would you measure the resistance when the light globe is operating? Sketch the electric circuit you would use. [4 marks]

---

---

---

---

**THIS PAGE HAS BEEN LEFT BLANK INTENTIONALLY**

DRAFT

**SEE NEXT PAGE**

**SECTION THREE: COMPREHENSION**

This section has **ONE (1)** question. Attempt **ALL** sections. Answer in the spaces provided.

Allow approximately 30 minutes to complete this section [14 marks].

---

**Question 26**

A group of engineering students decided to investigate the problems of high speed and stopping distances after a series of road accidents around their university.

They investigated stopping distances required by twenty drivers, each driving one of four 2004—model identical cars on a dry road in normal daylight. The drivers were required to respond to a visual signal, simulating a child running in front of the car. Electronic recorders registered the distance travelled by the car between the time that the signal was triggered and the instant that the driver applied the brakes. This was recorded as the 'thinking distance'. The recorders then registered the distance travelled by the car while the brakes were applied. This was recorded as the 'braking distance'.

The following table shows their results:

Initial speed, km h <sup>-1</sup>	Initial speed, m s <sup>-1</sup>	Average thinking distance, m	Average braking distance, m	Average total stopping distance, m
30.0	8.33	6.00	6.00	12.0
45.0	12.5	9.00	14.0	23.0
60.0	16.7	12.0	24.0	36.0
75.0	20.8	18.0	38.0	55.0
90.0	25.0	17.0	55.0	73.0
105	29.2	21.0	75.0	96.0

- (a) State one variable which the investigators decided to measure, and two variables that the investigators controlled to make their test fair.

[3 marks]

Measured variable: \_\_\_\_\_

One controlled variable: \_\_\_\_\_

Another controlled variable: \_\_\_\_\_

(b) Explain the following features of the experimental design in this investigation:

[2 marks]

<p>(i) The investigators decided that each driver should perform each trial five times.</p>	<p>Reason 1:</p> <hr/> <hr/> <hr/> <hr/> <hr/>
---	--

<p>(ii) The investigators decided that each driver should perform the test at different speeds.</p>	<p>Reason 2:</p> <hr/> <hr/> <hr/> <hr/> <hr/>
---	--

(c) Describe two ways in which the investigators have attempted to reduce errors in this experiment.


[2 marks]

One way: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Another way: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Question 26 (cont.)**

The graph below shows the values of thinking distance plotted against initial speed.



**(d)** (i) Draw a line of best fit (by eye) for the data shown in the graph.

[1 mark]

(ii) Describe the relationship between initial speed and thinking distance.

[1 mark]

(iii) Use the graph to determine an average value for the 'thinking distance' required by a driver travelling at  $15.0 \text{ m s}^{-1}$ . Show clearly how you worked out the distance from the graph.

[2 marks]

**(e)** Write a conclusion for this experiment on the basis of the data gathered by the experimenters.

[3 marks]

This blank space has been provided for additional workings.

DRAFT

This blank space has been provided for additional workings.

DRAFT



DRAFT

## ACKNOWLEDGEMENTS

DRAFT

*Published by the Curriculum Council of Western Australia  
27 Walters Drive  
OSBORNE PARK WA 6017*