

Year 12 Mathematics Specialist 2018
Test Number 6:
Statistical Inference
Resource Rich

Name: _____

Teacher: Mrs Da Cruz

Marks: 44

Time Allowed: 45 minutes


Instructions: You are permitted 1 A4 page of notes and your calculator. Show your working where appropriate remembering you must show working for questions worth more than 2 marks.

Question 1

[2, 3 = 5 marks]

Simone takes anywhere from 14 to 26 minutes to travel from home to work each day dependent upon road conditions.

The continuous random variable, X , for her travel times is uniformly distributed: $X \sim U(14, 26)$.



a) If Simone needs to be at work by 8:30am and she leaves home at 8:12 am, what is the probability that she will not be late.

b) Over the next twelve months Simone's travel times for a random sample of 35 work days are recorded. What is the probability that the average of those travel times is less than 18 minutes?

Question 2**[2, 4 = 6 marks]**

The confidence level is $\bar{x} \pm z \frac{\sigma}{\sqrt{n}}$. The margin of error being $z \frac{\sigma}{\sqrt{n}}$. A small margin of error is usually preferred. A sample of 2000 male scores gave a mean of 150 and a standard deviation of 40.

- a) Give the 95% confidence interval for the population mean, μ .
- b) How would altering the sample size affect the margin of error? Give examples to demonstrate any statements you make.

Question 3**[3 marks]**

A statistician working for a telemarketing company informs the bosses that data collected from the population has a standard deviation of 19.95. He assured them that with a confidence interval of 99% and to be within 5 units of the mean, the required sample would have to be 106. Was he correct? Just justify your answer.

Question 4**[2, 1, 3 = 6 marks]**

Dhufish are caught off the coast of North-West Australia. Their weights are normally distributed with a mean of 20 kg and a standard deviation of 2.7 kg.

- a) Matt selects a sample of 32 dhufish caught off the North-West coast of Australia and their mean weight is 22.2 kg.
- i) Using Matt's sample, determine a 99% confidence interval for the mean weight of dhufish.
- ii) You should observe that the confidence interval from i) does not contain μ . We would expect 99% of such formed intervals to contain μ . Therefore, it is statistically highly improbable that this would happen. In this particular scenario what is the likely reason?
- b) A random selection of 10 dhufish are sent to a restaurant in Perth. Determine the probability that the total weight of the 10 dhufish lies between 175 kg and 202 kg.

Question 6**[2, 2, 2, 3 = 9 marks]**

A cable in a bridge is required to support a weight of 10 000 Newtons. Tina tests a random sample of 100 cables from a supplier. The sample mean is found to be 10 300 Newtons and the sample standard deviation 400 Newtons.

Based on Tina's sample, a 95% confidence interval for μ , the population mean cable strength is calculated. State whether each of the following statements is true or false. Provide reasons for your answer and state any assumptions.

(i) If another sample of 100 cables is taken, then the sample mean will fall within the confidence interval produced by Tina's sample.

(ii) If a single cable is selected at random, then the strength of the cable will fall within the confidence interval produced by Tina's sample.

Jon, a colleague of Tina, said, 'The cable strengths are not normally distributed, so the calculation for the confidence interval is incorrect'.

(c) How should Tina respond to Jon's comment?

A different sample of 36 cables is taken and it is found that the standard deviation is 500 Newtons. A confidence interval for the population mean cable strength is determined to be $9900 \leq \mu \leq 10\,200$.

(d) Determine the confidence level, to the nearest 0.1%, used to calculate this interval.

