



TEST 4 – Resource Free

Systems of Equations, Differentiation and Integration

NAME: Solutions

DATE: Mon 1<sup>st</sup> August 2016

Time: 50 min

Total: /52 mark

1. Determine  $\frac{dy}{dx}$  for each of the following: [2, 2, 3, 4 = 11 marks]

a)  $y = \sqrt{\tan x}$

$$\frac{dy}{dx} = \frac{1}{2\sqrt{\tan x}} \times \frac{1}{\cos^2 x}$$

b)  $y = \sin^3\left(\frac{\pi}{4} - x\right)$

$$\frac{dy}{dx} = -3 \sin^2\left(\frac{\pi}{4} - x\right) \cdot \cos\left(\frac{\pi}{4} - x\right)$$

c)  $(xy)^2 + 4 \cos y = x$

$$2(xy)(y + x \frac{dy}{dx}) - 4 \sin y \frac{dy}{dx} = 1$$

$$2xy^2 + 2x^2 y \frac{dy}{dx} - 4 \sin y \frac{dy}{dx} = 1$$

$$\frac{dy}{dx} = \frac{1 - 2xy^2}{2x^2y - 4 \sin y}$$

d)  $x = \cos(2t)$ ,  $y = \sin(2t)$  (give answer in terms of x)


$$\frac{dx}{dt} = -2 \sin(2t), \quad \frac{dy}{dt} = 2 \cos(2t)$$

$$\frac{dy}{dx} = \frac{dy}{dt} \times \frac{dt}{dx}$$

$$= \frac{2 \cos 2t}{-2 \sin 2t}$$

$$= -\frac{x}{y}$$

$$= \pm \frac{x}{\sqrt{1-x^2}}$$




$$y^2 = 1 - x^2$$

$$y = \pm \sqrt{1 - x^2}$$

2. [3, 3 = 6 marks]

The diagram below has the parametric equations  $x(t) = 5t^2 - 4t - 2$  and  $y(t) = -5t^2 + 5$



- a) Determine the exact coordinates of A, the point on the curve that is furthest above the horizontal axis.

$$\begin{aligned} \frac{dx}{dt} &= 10t - 4 & \frac{dy}{dt} &= -10t \\ \frac{dy}{dx} &= \frac{dy}{dt} \times \frac{dt}{dx} & \frac{dy}{dx} &= 0 & 0 &= \frac{-10t}{10t-4} \\ \frac{dy}{dx} &= \frac{-10t}{10t-4} \checkmark & & & t &= 0 \checkmark \\ & & \therefore x(0) &= -2 & y(0) &= 5 & A(-2, 5) \checkmark \end{aligned}$$

- b) Determine the exact coordinates of B, the point on the curve that is furthest to the left of the vertical axis.

$$\begin{aligned} \frac{dx}{dt} &= \frac{10t-4}{-10t} \checkmark & x\left(\frac{2}{5}\right) &= 5\left(\frac{2}{5}\right)^2 - 4\left(\frac{2}{5}\right) - 2 \\ 0 &= 10t - 4 & \left(\frac{dx}{dt} = 0\right) & & &= \frac{4}{5} - \frac{8}{5} - \frac{10}{5} \\ t &= \frac{2}{5} \checkmark & & & &= -\frac{14}{5} \\ & & y\left(\frac{2}{5}\right) &= -5\left(\frac{2}{5}\right)^2 + 5 & &= -\frac{4}{5} + \frac{25}{5} \\ & & &= \frac{21}{5} \checkmark & &= \frac{21}{5} \\ & & B\left(\frac{-14}{5}, \frac{21}{5}\right) \checkmark & & & \end{aligned}$$

3. Calculate the following integrals: [2, 2, 2, 2 = 8 marks]

a)  $\int 2 \sin(\cos x) \cdot \sin x \, dx$

$$= 2 \cos(\cos x) + C \quad \checkmark \checkmark$$

b)  $\int \frac{4x}{1-x^2} dx$

$$= -2 \ln|1-x^2| + C \quad \checkmark \checkmark$$

c)  $\int 1 + 2 \sin^2 x \, dx$

$$= \int 1 + 2 \left( \frac{1 - \cos 2x}{2} \right) dx \quad \checkmark$$

$$= \int 2 - \cos 2x \, dx$$

$$= 2x - \frac{1}{2} \sin 2x + C \quad \checkmark$$

d)  $\int 2x^2 e^{x^2} + e^{x^2} dx$

$$= x e^{x^2} + C \quad \checkmark \checkmark$$

4. Determine the integral  $\int 3^{x-1} dx$  using the substitution  $u = 3^{x-1}$ . [5 marks]

$$\begin{aligned} & \int 3^{x-1} dx \\ &= \int u \frac{du}{u \ln 3} \quad \checkmark \\ &= \int \frac{1}{\ln 3} du \quad \checkmark \\ &= \frac{u}{\ln 3} + C \\ &= \frac{3^{x-1}}{\ln 3} + C \quad \checkmark \end{aligned}$$

$$\begin{aligned} u &= 3^{x-1} \\ \ln u &= \ln 3^{x-1} \quad \checkmark \\ \ln u &= (x-1) \ln 3 \\ \frac{1}{u} \frac{du}{dx} &= \ln 3 \\ \frac{du}{dx} &= u \ln 3 \quad \checkmark \end{aligned}$$

5. Determine the integral  $\int \frac{1}{\sqrt{9-x^2}} dx$  using an appropriate substitution. [6 marks]

$$\begin{aligned}
 & \int \frac{1}{\sqrt{9-(3\sin u)^2}} \cdot 3\cos u \, du \quad \checkmark \\
 &= \int \frac{1}{\sqrt{9-9\sin^2 u}} \cdot 3\cos u \, du \\
 &= \int \frac{1}{\sqrt{9\cos^2 u}} \cdot 3\cos u \, du \quad \checkmark \\
 &= \int \frac{1}{3\cos u} \cdot 3\cos u \, du \\
 &= \int 1 \, du \quad \checkmark \\
 &= u + C \\
 &= \sin^{-1}\left(\frac{x}{3}\right) + C \quad \checkmark
 \end{aligned}$$

$$\begin{aligned}
 x &= 3\sin u \quad \checkmark \\
 \frac{dx}{du} &= 3\cos u \\
 dx &= 3\cos u \, du \quad \checkmark
 \end{aligned}$$

6. Solve the following system of equations: [5 marks]

$$2x + 3y - z = 15 \quad \textcircled{1}$$

$$4x + 5y + 2z = 4 \quad \textcircled{2}$$

$$2x - 4y - 3z = 13 \quad \textcircled{3}$$

$$2 \times \textcircled{1} + \textcircled{2} \Rightarrow 8x + 11y = 34 \quad \textcircled{4} \quad \checkmark$$

$$3 \times \textcircled{1} - \textcircled{3} \Rightarrow 4x + 13y = 32 \quad \textcircled{5} \quad \checkmark$$

$$\begin{aligned}
 \textcircled{4} - 2 \times \textcircled{5} &\Rightarrow -15y = -30 \\
 y &= 2 \quad \checkmark
 \end{aligned}$$

$$\textcircled{5} \quad 4x + 26 = 32$$

$$\begin{aligned}
 4x &= 6 \\
 x &= 1.5 \quad \checkmark
 \end{aligned}$$

$$\textcircled{1} \quad 2 \times 1.5 + 3 \times 2 - z = 15$$


$$z = 3 + 6 - 15$$

$$z = -6 \quad \checkmark$$

Therefore solution is  $(1.5, 2, -6)$

7. [6 marks]

Timex release a new clock with an identical minute and hour hand, each exactly 8 cm in length. An imaginary line is drawn joining the tips of each hand to form an isosceles triangle with centre angle  $\theta$ . What is the rate of change of the area of the triangle at the instant the time is 8 o'clock?



$$\begin{aligned}\frac{d\theta}{dt} &= \left( 2\pi - \frac{2\pi}{12} \right) \text{ rad/hr} \\ &= \frac{22\pi}{12} \\ &= \frac{11\pi}{6} \checkmark\end{aligned}$$


$$\text{At 8 o'clock } \theta = \frac{2\pi}{3} \checkmark$$

$$\begin{aligned}A &= \frac{1}{2} ab \sin C \\ &= \frac{1}{2} 8^2 \sin \theta \\ &= 32 \sin \theta \checkmark\end{aligned}$$

$$\begin{aligned}\frac{dA}{dt} &= 32 \cos \theta \frac{d\theta}{dt} \checkmark \\ &= 32 \cos \frac{2\pi}{3} \times \frac{11\pi}{6} \\ &= 32 \left(-\frac{1}{2}\right) \times \frac{11\pi}{6} \\ &= -\frac{88\pi}{3} \text{ cm}^2/\text{hr} \checkmark\end{aligned}$$

8. [5 marks]

A pointed hat is modelled by rotating the line  $y = \sqrt{0.2x}$  from  $x = 0$  to  $x = 20$  about the  $y$ -axis. If the measurements are in cm, find the volume of the hat.



when  $x = 0$ ,  $y = 0$

when  $x = 20$ ,  $y = 2$  ✓

$$V = \int_0^2 \pi x^2 dy$$

$$y = \sqrt{0.2x}$$

$$y^2 = \frac{x}{5}$$

$$x^2 = 25y^4 \quad \checkmark$$

$$V = \pi \int_0^2 25y^4 dy \quad \checkmark$$

$$= 25\pi \left[ \frac{y^5}{5} \right]_0^2$$

$$= 25\pi \left( \frac{32}{5} \right)$$

$$= 160\pi$$

∴ Volume =  $160\pi \text{ cm}^3$  ✓

[ -1 if no units ]